

From: [Diaz, Tammy, NMENV](#)
To: [Smith, Steve W SWF](#);
cc: [Cobrain, Dave, NMENV](#);
Subject: Parcel 22 MI samples
Date: Monday, November 23, 2009 12:31:14 PM

Steve,

With regards to the 528 Complex (SWMU 27) and the Disassembly Plant and the TPL QA Test Area (SWMU 70) located in Parcel 22, the Permittee must collect 50 subsamples from the decision units that are approximately 10,000 ft², for the decision units that are approximately greater than 10,000 ft² the Permittee must collect 60 subsamples. The Permittee must ensure that the subsamples collected are biased toward any drainages or topographic lows.

Steve, can you send me an email requesting this modification?

Thanks,
Tammy

Tammy Diaz-Martinez
Environmental Specialist
RCRA Permits Management Program
Hazardous Waste Bureau
2905 Rodeo Park Dr. E/Bldg 1
Santa Fe, NM 87505
Phone: 505-476-6056
Main: 505-476-6000
Fax: 505-476-6030

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message.
-- This email has been scanned by the Sybari - Antigen Email System.

Confidentiality Notice: This e-mail, including all attachments is for the sole use of the intended recipient(s) and may contain confidential and privileged information. Any unauthorized review, use, disclosure or distribution is prohibited unless specifically provided under the New Mexico Inspection of Public Records Act. If you are not the intended recipient, please contact the sender and destroy all copies of this message.

This email has been scanned using Webroot Email Security.
