



U.S. Army Corps
of Engineers

FINAL

TECHNICAL MEMORANDUM
GROUNDWATER BACKGROUND EVALUATION
FOR
FORT WINGATE DEPOT ACTIVITY
MCKINLEY COUNTY, NEW MEXICO

REVISION 1

Contract No. W9126G-12-D-0027
Task Order No. 0002

Prepared for:
U.S. Army Corps of Engineers
Fort Worth District
819 Taylor Street, Room 3A12
Fort Worth, TX 76102

Prepared by:
Sundance Consulting, Inc.
6700 Jefferson St. NE, Suite C3
Albuquerque, NM 87109

March 2015

This page intentionally left blank

REPORT DOCUMENTATION PAGE*Form Approved
OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE		3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)

This page intentionally left blank

Final Approval Letter Placeholder

Upon approval by the New Mexico Environment Hazardous Waste Bureau of this Groundwater Background Evaluation Technical Memorandum, a copy of the signed approval letter will be placed here.

This page intentionally left blank

FINAL

TECHNICAL MEMORANDUM
GROUNDWATER BACKGROUND EVALUATION
FOR
FORT WINGATE DEPOT ACTIVITY
MCKINLEY COUNTY, NEW MEXICO

REVISION 1

Contract No. W9126G-12-D-0027
Task Order No. 0002

Prepared for:
U.S. Army Corps of Engineers
Fort Worth District
819 Taylor Street, Room 3A12
Fort Worth, TX 76102

Prepared by:
Sundance Consulting, Inc.
6700 Jefferson, NE, Suite C-3
Albuquerque, New Mexico 87109

March 2015

This page intentionally left blank

DOCUMENT DISTRIBUTION LIST

FINAL REVISION 1

Groundwater Background Evaluation for Fort Wingate Depot Activity

Organization (Name)	Number of Printed Copies	Number of Electronic Copies (CD/DVD)
FWDA BEC (Mark Patterson)	1	1
FWDA AR – Fort Wingate Location	2	2
FWDA AR – Ohio Location	0	1
USACE SWF (Steve Smith)	1	2
USACE SPA (David Henry)	1	1
USACE (Neal J. Navarro)	0	1
BRACD (Bill O’Donnell)	0	1
Office of the Speaker (Larry Rodgers)	1	7
Governor’s Office (Gov. Val Panteah)	1	8
BIA Zuni Agency (Clayton Seoutewa)	1	1
NMED HWB (John Kieling)	2	2
BIA/NRO/DECSM (Rose Duwyenie)	1	2
U.S. EPA (Chuck Hendrickson)	1	1
DOI/BIA (Eldine Stevens)	0	1
DOI/BIA (Judith Wilson)	0	1
BIA (Angela Kelsey)	0	1
TOTALS	12	33

BIA = Bureau of Indian Affairs

NRO = Navajo Regional Office

DECSM = Division of Environmental, Cultural, and Safety Management

DOI = Department of the Interior

FWDA = Fort Wingate Depot Activity

AR = Administrative Record

BEC = Base Realignment and Closure Environmental Coordinator

USACE = United States Army Corps of Engineers

SFW = Fort Worth District

SPA = Albuquerque District

BRACD = United States Army Base Realignment and Closure Division

This page intentionally left blank



2 **Final Groundwater Background Evaluation for**
3 **Fort Wingate Depot Activity Revision 1**

4 PREPARED FOR: U.S. Army Corps of Engineers, Fort Worth District
5 PREPARED BY: Sundance Consulting, Inc./CH2M Hill
6 DATE: March 16, 2015
7 PROJECT NUMBER: W9126-G-12-0027 Task Order #0002, Task 17.3

8 **Contents**

9 1.0 Introduction1
10 2.0 Trend Evaluation2
11 3.0 Outlier Evaluation2
12 4.0 Calculation of Background Threshold Values.....4
13 5.0 Conclusions5
14 6.0 References.....5

15 **List of Tables**

16 1 Summary of Statistical Methods used in the FWDA Groundwater Background Evaluation
17 2 Mann-Kendall Trend Evaluation (By Well)
18 3 Evaluation of Outliers
19 4 Summary Statistics for Background Data

20 **List of Figures**

21 1 Northern Area Alluvial Background Wells
22 2 Northern Area Bedrock Background Wells
23 3 Probability Plots for Alluvial Background Wells
24 4 Probability Plots for Bedrock Background Wells

25 **Attachment**

26 A ProUCL Output File

27 **Acronyms and Abbreviations**

28 µg/L Microgram(s) per Liter
29 BTV Background Threshold Value
30 FWDA Fort Wingate Depot Activity
31 ROS Regression on Order Statistics
32 USEPA U.S. Environmental Protection Agency
33 UTL Upper Tolerance Limit

This page intentionally left blank

1 1.0 Introduction

2 This technical memorandum describes the development of background threshold values (BTV)
3 for naturally occurring chemical constituents in groundwater in the alluvial and bedrock
4 aquifers at Fort Wingate Depot Activity (FWDA). The BTVs were calculated based on
5 groundwater laboratory analytical data collected from approved background wells for the
6 groundwater monitoring program at the FWDA. The background wells used in the analysis were
7 selected by CH2M HILL and approved for use in the evaluation by the U.S. Army Corps of
8 Engineers, Fort Worth District. The approved background wells are alluvial aquifer wells
9 BGMW01, BGMW02, BGMW03, FW31, TMW25, TMW26, TMW27, and TMW28 (Figure 1) and
10 bedrock wells TMW17 and TMW19 (Figure 2). The methodology used in this evaluation is
11 primarily from the framework provided in the ProUCL Technical Guide (U.S. Environmental
12 Protection Agency [USEPA], 2013). The statistical methods used in the evaluation are
13 summarized in Table 1.

14 The groundwater analytical results for dissolved metals, total metals, perchlorate, nitrate,
15 nitrite, and polynuclear aromatic hydrocarbons are included in the background evaluation. The
16 full complement of groundwater analytical results for the alluvial aquifer background wells is
17 available only for the period from 2012 through 2013; therefore, this evaluation focuses on
18 data from 32 results in that period. The 32 sample results used in the evaluation for the alluvial
19 aquifer were derived from the eight background locations sampled at a frequency of two times
20 per year for a period of two years. A full complement of groundwater analytical results from the
21 two bedrock wells is available for a longer period, resulting in a greater number of results from
22 each well for BTV calculations; therefore, this evaluation focuses on data from 24 results for the
23 period from 2007 through 2013. The 24 sample results used in the evaluation for the bedrock
24 aquifer were derived from the two background locations sampled at a frequency of two times
25 per year for a period of six years.

26 Duplicate results (for a given well, constituent, and event) were present in the data set. The
27 statistical analyses performed on the data, such as development of BTVs, depend on an
28 assumption of independent data, so each set of duplicates was reconciled to a single value.
29 When the duplicates contained both detect and nondetect results, the nondetect results were
30 excluded. When multiple detect or nondetect results were available, the lower of the two
31 values was chosen in deference to a conservative background data set.

32 The evaluation of the groundwater background data includes the following:

- 33 • A trend evaluation (by well) to determine whether concentrations at the background wells
34 are relatively constant.
- 35 • An outlier evaluation to identify elevated results that should be excluded to preserve a
36 defensible background data set.
- 37 • The development of BTVs for the purpose of comparing individual groundwater results to
38 determine whether those results are consistent with background values.

1 **2.0 Trend Evaluation**

2 Although a trend can be evaluated by exploring the slope of a linear regression line, defensible
3 statements of confidence depend on making a valid distributional assumption, which inhibits
4 routine application of the test. The Mann-Kendall trend evaluation is one of the commonly used
5 trend analysis methods for environmental data largely because it is a nonparametric method,
6 so there are no distributional assumptions, missing data values (nondetects) are easily handled
7 through assignment of a common value less than detected values, and irregularly spaced
8 sampling intervals are permitted (Gibbons, 1994; Gilbert, 1987; USEPA, 2006). The Mann-
9 Kendall evaluation can be viewed as a nonparametric test for a zero slope in the linear
10 regression of time-ordered data versus time. This test was performed with a standard
11 significance level of 0.05 (that is, cases with calculated probabilities less than 0.05 were
12 concluded to be significant).

13 The results of this trend evaluation for groundwater data from the FWDA are presented in
14 Table 2. Of the 560 trend evaluations performed, 17 evaluations (3.0 percent) were significantly
15 decreasing and nine evaluations (1.6 percent) were significantly increasing. The remaining trend
16 evaluations were concluded to have no significant change. Because a significance level of 0.05
17 was used, approximately 5.0 percent false indications of significant decreases and
18 approximately 5.0 percent false indications of significant increases would be expected. Thus,
19 the 3.0 percent and 1.6 percent rates represent expected levels for a data set with virtually no
20 temporal trend. A Mann-Kendall evaluation of such a large number of cases without a small
21 percentage of significant decreases or increases would be a signal of faulty calculations. Thus,
22 the chosen background data represent a temporally stable population for the time intervals
23 being used.

24 **3.0 Outlier Evaluation**

25 Outliers are extremely elevated measurements that are sometimes referred to as “spurious”
26 data because they are mathematically divergent from the main population of data. Outliers
27 may arise from matrix interferences or errors in transcription, sampling technique, data coding,
28 analytical methods, or instrument calibration.

29 **3.1 Identification of Mathematical Outliers**

30 Identification as a mathematical outlier does not necessarily mean that an elevated value is
31 inappropriate for the background data set. Such values may be legitimate members of the
32 upper tail of the background distribution. Nevertheless, to maintain a conservative background
33 data set, outliers were reviewed for potential exclusion from background calculations.

34 For 25 or fewer results for a specific constituent, Dixon’s test was applied to the data; for larger
35 numbers of results, Rosner’s test was applied to the data (USEPA, 2006). These tests were
36 applied sequentially to the highest value, second highest value, and so on to include a search
37 for multiple outliers. This approach was used because with multiple outliers, a given extreme
38 value may be masked by another, slightly lower outlier and initially be found not to be a

1 mathematical outlier. However, when testing for multiple outliers, multiple clustered values
2 can be identified as outliers.

3 Both Dixon's and Rosner's tests are based on an assumption of normality for those
4 concentrations remaining after each potential mathematical outlier is excluded. This is a
5 standard approach but leads to false identification of a suspect member of the population
6 when that population is positively skewed. For this reason, a second outlier test was performed
7 whereby the data were transformed in an effort to improve adherence to normality (USEPA,
8 2006). By themselves, elevated outliers can promote a false indication of a skewed population,
9 but the normality testing applied here is directed to the results after exclusion of each potential
10 outlier. Neither the original identification as an outlier (using raw data) nor this subsequent
11 evaluation (using potential transformations) was treated as a definitive tool for excluding
12 results. However, both are reported to increase the amount of information available for outlier
13 decisions.

14 In the subsequent evaluation, the data were transformed using each of three transformations:
15 square root transformation, cubic root transformation, and natural logarithmic transformation.
16 The logarithmic transformation is a standard transformation in environmental applications,
17 while the square root and cubic root transformations offer options appropriate for
18 intermediate levels of skewness in a data set. The Shapiro-Wilk test for normality was applied
19 to the untransformed data and three sets of transformed data to determine which provided the
20 best adherence to normality with the remaining concentrations (Gilbert, 1987; USEPA, 2006).

21 The outcomes of these outlier tests are presented in Table 3. In addition to the outlier test
22 decisions, Table 3 lists the percentage difference between a potential outlier and the next
23 highest value. When outliers are present in clusters (multiple points that have similar
24 concentrations that are elevated above all other concentrations), this value can be quite small.
25 It is offered as an additional piece of information and not as a numerical value that definitively
26 drives outlier decisions.

27 **3.2 Visual Inspection of Outliers**

28 Observational data of the groundwater analytical results indicate that wells BGMW03 and
29 FW31 often produce groundwater samples with high suspended solids and may demonstrate
30 poor well development. The results from these wells are considered valid, but for the outlier
31 evaluation, mathematical outliers from these wells were excluded in the interest of a
32 conservative background data set.

33 In some cases, a cluster of elevated results exists for different sampling events from a single
34 well. One example is the set of four mathematical outliers for dissolved barium, each of which
35 was measured from well TMW27. When such a cluster was noted (as opposed to the outliers
36 representing a more random contribution from multiple wells), those mathematical outliers
37 were excluded, again in the interest of a conservative background data set.

38 Other mathematical outliers were evaluated using a combined inspection of Table 3 and
39 probability plots presented for each detected constituent. Figures 3 and 4 present normal
40 probability plots for the data from the alluvial and bedrock wells, respectively. These plots
41 compare the measured concentrations to the expected concentrations if the data are normally

1 distributed (The data points tend to form straight lines when the data resemble a normal
2 distribution). While these probability plots can be helpful in understanding whether the data
3 should be considered normally distributed, that role can be easily fulfilled by formal
4 distributional tests during the calculation of the BTVs. For outlier inspection, these distribution
5 tests serve primarily as a visual check of how elevated values compare with the lower values in
6 a given sample population.

7 **3.3 Outliers Identified for Exclusion**

8 Professional review of the information in Table 3 and the probability plots resulted in the
9 decisions provided in Table 3. The mathematical outliers excluded from calculation of the
10 background threshold values are shown in Table 3 along with a footnote of why the outlier was
11 excluded. These excluded values are indicated by red Xs on the probability plots (Figures 3 and
12 4).

13 **4.0 Calculation of Background Threshold Values**

14 The primary statistic used to calculate the BTVs in this technical memorandum was a 95 percent
15 upper confidence limit of the 95th percentile, known as a 95/95 upper tolerance limit (UTL).
16 These 95/95 UTLs were calculated using either a nonparametric (no distributional assumption)
17 approach when evidence for a particular distribution was not available or using a distributional
18 assumption (when deemed appropriate for the approved background data).

19 The distribution possibilities included those computed by the USEPA's ProUCL software: the
20 normal, gamma, and lognormal distributions (USEPA, 2013). When more than one distribution
21 was found to offer a reasonable fit, the distribution with the least skewness was chosen
22 (normal chosen over gamma and gamma chosen over lognormal). When nondetects were
23 included for a given constituent (censored data) but at least 50 percent of the results were
24 detected, regression on order statistics (ROS) techniques when available were applied to
25 calculate the UTL. The ROS functionality is not offered in ProUCL 5 for the normal distribution.
26 When fewer than 50 percent detections were available or the normal distributional assumption
27 was chosen, the Kaplan-Meier approach was applied.

28 UTLs were calculated whenever at least four detected values were available. When fewer than
29 four detections were available, the BTV was assigned the maximum detected value. Further,
30 New Mexico Environment Department Soil Screening Guidance (December 2014) expresses
31 concern when a calculated 95/95 UTL exceeds the maximum detected concentration by more
32 than 1.5 times. Two such cases existed in the UTLs calculated for this technical memorandum,
33 and each was subsequently replaced with the maximum detected concentration to serve as the
34 BTV. One was Total Nickel in the Bedrock aquifer where the calculated BTV was a Gamma UTL
35 of 20.2 micrograms per liter ($\mu\text{g/L}$), which was replaced by the maximum detection of 12.4
36 $\mu\text{g/L}$. The other was Total Aluminum in the Alluvial aquifer with a lognormal UTL of 2,600 $\mu\text{g/L}$,
37 which was replaced by the maximum detection of 1,500 $\mu\text{g/L}$.

38 Summary statistics including the BTVs and other statistics (for example, percent detects,
39 minimum and maximum values, and qualifying flag [if any] for the maximum detected result)

1 are presented in Table 4. These BTVs are recommended for comparison with individual well
2 concentrations to determine whether those concentrations are consistent with background.

3 **5.0 Conclusions**

4 Groundwater analytical results were statistically evaluated to determine background
5 concentrations following USEPA methodologies. The BTVs were calculated for dissolved metals,
6 total metals, perchlorate, nitrate, nitrite, and polynuclear aromatic hydrocarbons. The BTVs can
7 be used to compare groundwater analytical results from FWDA monitoring wells to determine
8 whether anthropogenic contamination is present in the groundwater.

9 **6.0 References**

- 10 Gibbons, Robert D., 1994. *Statistical Methods for Groundwater Monitoring*. John Wiley & Sons:
11 New York, New York.
- 12 Gilbert, Richard O., 1987. *Statistical Methods for Environmental Pollution Monitoring*. Van
13 Nostrand Reinhold Company: New York, New York.
- 14 New Mexico Environment Department Soil Screening Guidance. December 2014. Available at:
15 New Mexico Environment Department Soil Screening Guidance.
- 16 United States Environmental Protection Agency (USEPA), 2006. *Data Quality Assessment:
17 Statistical Methods for Practitioners*. Office of Environmental Information: Washington,
18 DC.
- 19 United States Environmental Protection Agency (USEPA), 2013. *ProUCL Version 5.0.00,
20 Technical Guide, Statistical Software for Environmental Applications for Data Sets with
21 and without Nondetect Observations*, Office of Research and Development.

This page intentionally left blank

TABLES

This page intentionally left blank

**TABLE 1:
Summary of Statistical Methods used in the FWDA Groundwater Background Evaluation**

Trend Evaluation	Summary
Mann-Kendall Trend Test	Nonparametric test for linear trend. Concludes whether a significantly increasing or decreasing trend exists in the data.
Outlier Evaluation	Summary
Mathematical Outlier Tests	Dixon's test was used to test for statistical outliers when the sample size was less than or equal to 25. Rosner's test was used when the sample size was greater than 25. Both tests rely on an assumption of normality for the result(s) remaining after hypothetical removal of the result being tested as an outlier.
Transformations	Three transformations were considered in attempts to improve adherence to normality (as measured using the Shapiro-Wilk test) for the results used in Dixon's and Rosner's tests. These included the square root transformation, the cubic root transformation, and the log transformation.
Probability Plot	Graphical presentation of adherence to a normal distribution. For outlier evaluation they provide a visual inspection of extreme values relative to other values in the data set.
Calculation of BTVs	Summary
95/95 Upper Tolerance Limit (UTL)	95% upper confidence bounds on the 95th percentile of the background population.
Parametric UTLs	UTLs developed using perceived adherence to a statistical distribution (for example, normal, gamma, or lognormal).
Nonparametric UTLs	UTLs developed without adherence to a statistical distribution. When all results are detects, this is typically a rank-based decision. When nondetects are present, this is typically pursued using the Kaplan-Meier approach.
Managing Nondetects	Techniques used to manage nondetects when calculating UTLs from a single distribution include Regression on Order Statistics, Maximum Likelihood Estimates, and the Kaplan-Meier approach. Simple substitutions (for example, one half the limit of detection) are typically avoided in favor of these other techniques.
Regression on Order Statistics	Estimates of summary statistics based on the perceived adherence to a statistical distribution when a portion of the data includes nondetects. For the group of nondetects, multiple values are calculated without an association between each value and any given sample.
Kaplan-Meier	This nonparametric technique estimates summary statistics when a portion of the data includes nondetects without assigning individual proxies for the nondetects.
Maximum Detect	Using the maximum detect as a background threshold value (BTV) may appear similar to providing the maximum detect as a nonparametric UTL; however, in cases with higher uncertainty such as when detected data are particularly limited (for example, fewer than four detects), the resulting BTV is not considered a calculated UTL, and the term "Maximum Detect" reinforces this condition.

This page intentionally left blank

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	BGMW01	2-Chloronaphthalene	0.625	No Significant Change
Alluvial	BGMW02	2-Chloronaphthalene	0.625	No Significant Change
Alluvial	BGMW03	2-Chloronaphthalene	0.625	No Significant Change
Alluvial	BGMW01	2-Methylnaphthalene	0.625	No Significant Change
Alluvial	BGMW02	2-Methylnaphthalene	0.625	No Significant Change
Alluvial	BGMW03	2-Methylnaphthalene	0.625	No Significant Change
Alluvial	BGMW01	Acenaphthene	0.625	No Significant Change
Alluvial	BGMW02	Acenaphthene	0.625	No Significant Change
Alluvial	BGMW03	Acenaphthene	0.625	No Significant Change
Alluvial	BGMW01	Acenaphthylene	0.625	No Significant Change
Alluvial	BGMW02	Acenaphthylene	0.625	No Significant Change
Alluvial	BGMW03	Acenaphthylene	0.625	No Significant Change
Alluvial	BGMW01	Aluminum, Dissolved	0.235	No Significant Change
Alluvial	BGMW02	Aluminum, Dissolved	0.186	No Significant Change
Alluvial	BGMW03	Aluminum, Dissolved	0.375	No Significant Change
Alluvial	FW31	Aluminum, Dissolved	0.167	No Significant Change
Alluvial	TMW25	Aluminum, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Aluminum, Dissolved	0.367	No Significant Change
Alluvial	TMW27	Aluminum, Dissolved	0.186	No Significant Change
Alluvial	TMW28	Aluminum, Dissolved	0.186	No Significant Change
Alluvial	BGMW01	Aluminum, Total	0.625	No Significant Change
Alluvial	BGMW02	Aluminum, Total	0.625	No Significant Change
Alluvial	BGMW03	Aluminum, Total	0.375	No Significant Change
Alluvial	FW31	Aluminum, Total	0.375	No Significant Change
Alluvial	TMW25	Aluminum, Total	0.235	No Significant Change
Alluvial	TMW26	Aluminum, Total	0.375	No Significant Change
Alluvial	TMW27	Aluminum, Total	0.625	No Significant Change
Alluvial	TMW28	Aluminum, Total	0.500	No Significant Change
Alluvial	BGMW01	Anthracene	0.625	No Significant Change
Alluvial	BGMW02	Anthracene	0.625	No Significant Change
Alluvial	BGMW03	Anthracene	0.625	No Significant Change
Alluvial	BGMW01	Antimony, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Antimony, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Antimony, Dissolved	0.271	No Significant Change
Alluvial	FW31	Antimony, Dissolved	0.186	No Significant Change
Alluvial	TMW25	Antimony, Dissolved	0.186	No Significant Change
Alluvial	TMW26	Antimony, Dissolved	0.271	No Significant Change
Alluvial	TMW27	Antimony, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Antimony, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Antimony, Total	0.625	No Significant Change
Alluvial	BGMW02	Antimony, Total	0.625	No Significant Change
Alluvial	BGMW03	Antimony, Total	0.500	No Significant Change
Alluvial	FW31	Antimony, Total	0.186	No Significant Change
Alluvial	TMW25	Antimony, Total	0.625	No Significant Change
Alluvial	TMW26	Antimony, Total	0.367	No Significant Change
Alluvial	TMW27	Antimony, Total	0.186	No Significant Change
Alluvial	TMW28	Antimony, Total	0.186	No Significant Change
Alluvial	BGMW01	Arsenic, Dissolved	0.154	No Significant Change
Alluvial	BGMW02	Arsenic, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Arsenic, Dissolved	0.154	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	FW31	Arsenic, Dissolved	0.375	No Significant Change
Alluvial	TMW25	Arsenic, Dissolved	0.074	No Significant Change
Alluvial	TMW26	Arsenic, Dissolved	0.045	Significantly Decreasing
Alluvial	TMW27	Arsenic, Dissolved	0.186	No Significant Change
Alluvial	TMW28	Arsenic, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Arsenic, Total	0.154	No Significant Change
Alluvial	BGMW02	Arsenic, Total	0.154	No Significant Change
Alluvial	BGMW03	Arsenic, Total	0.154	No Significant Change
Alluvial	FW31	Arsenic, Total	0.375	No Significant Change
Alluvial	TMW25	Arsenic, Total	0.045	Significantly Decreasing
Alluvial	TMW26	Arsenic, Total	0.367	No Significant Change
Alluvial	TMW27	Arsenic, Total	0.271	No Significant Change
Alluvial	TMW28	Arsenic, Total	0.625	No Significant Change
Alluvial	BGMW01	Barium, Dissolved	0.154	No Significant Change
Alluvial	BGMW02	Barium, Dissolved	0.367	No Significant Change
Alluvial	BGMW03	Barium, Dissolved	0.375	No Significant Change
Alluvial	FW31	Barium, Dissolved	0.500	No Significant Change
Alluvial	TMW25	Barium, Dissolved	0.500	No Significant Change
Alluvial	TMW26	Barium, Dissolved	0.625	No Significant Change
Alluvial	TMW27	Barium, Dissolved	0.375	No Significant Change
Alluvial	TMW28	Barium, Dissolved	0.375	No Significant Change
Alluvial	BGMW01	Barium, Total	0.235	No Significant Change
Alluvial	BGMW02	Barium, Total	0.271	No Significant Change
Alluvial	BGMW03	Barium, Total	0.375	No Significant Change
Alluvial	FW31	Barium, Total	0.375	No Significant Change
Alluvial	TMW25	Barium, Total	0.500	No Significant Change
Alluvial	TMW26	Barium, Total	0.375	No Significant Change
Alluvial	TMW27	Barium, Total	0.625	No Significant Change
Alluvial	TMW28	Barium, Total	0.500	No Significant Change
Alluvial	BGMW01	Benzo(a)anthracene	0.625	No Significant Change
Alluvial	BGMW02	Benzo(a)anthracene	0.625	No Significant Change
Alluvial	BGMW03	Benzo(a)anthracene	0.625	No Significant Change
Alluvial	BGMW01	Benzo(a)pyrene	0.625	No Significant Change
Alluvial	BGMW02	Benzo(a)pyrene	0.625	No Significant Change
Alluvial	BGMW03	Benzo(a)pyrene	0.625	No Significant Change
Alluvial	BGMW01	Benzo(b)fluoranthene	0.625	No Significant Change
Alluvial	BGMW02	Benzo(b)fluoranthene	0.625	No Significant Change
Alluvial	BGMW03	Benzo(b)fluoranthene	0.625	No Significant Change
Alluvial	BGMW01	Benzo(g,h,i)perylene	0.625	No Significant Change
Alluvial	BGMW02	Benzo(g,h,i)perylene	0.625	No Significant Change
Alluvial	BGMW03	Benzo(g,h,i)perylene	0.625	No Significant Change
Alluvial	BGMW01	Benzo(k)fluoranthene	0.625	No Significant Change
Alluvial	BGMW02	Benzo(k)fluoranthene	0.625	No Significant Change
Alluvial	BGMW03	Benzo(k)fluoranthene	0.625	No Significant Change
Alluvial	BGMW01	Beryllium, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Beryllium, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Beryllium, Dissolved	0.625	No Significant Change
Alluvial	FW31	Beryllium, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Beryllium, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Beryllium, Dissolved	0.625	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	TMW27	Beryllium, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Beryllium, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Beryllium, Total	0.625	No Significant Change
Alluvial	BGMW02	Beryllium, Total	0.625	No Significant Change
Alluvial	BGMW03	Beryllium, Total	0.375	No Significant Change
Alluvial	FW31	Beryllium, Total	0.271	No Significant Change
Alluvial	TMW25	Beryllium, Total	0.625	No Significant Change
Alluvial	TMW26	Beryllium, Total	0.500	No Significant Change
Alluvial	TMW27	Beryllium, Total	0.625	No Significant Change
Alluvial	TMW28	Beryllium, Total	0.271	No Significant Change
Alluvial	BGMW01	Cadmium, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Cadmium, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Cadmium, Dissolved	0.625	No Significant Change
Alluvial	FW31	Cadmium, Dissolved	0.186	No Significant Change
Alluvial	TMW25	Cadmium, Dissolved	0.186	No Significant Change
Alluvial	TMW26	Cadmium, Dissolved	0.625	No Significant Change
Alluvial	TMW27	Cadmium, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Cadmium, Dissolved	0.625	No Significant Change
Alluvial	BGMW01	Cadmium, Total	0.186	No Significant Change
Alluvial	BGMW02	Cadmium, Total	0.625	No Significant Change
Alluvial	BGMW03	Cadmium, Total	0.500	No Significant Change
Alluvial	FW31	Cadmium, Total	0.500	No Significant Change
Alluvial	TMW25	Cadmium, Total	0.625	No Significant Change
Alluvial	TMW26	Cadmium, Total	0.500	No Significant Change
Alluvial	TMW27	Cadmium, Total	0.625	No Significant Change
Alluvial	TMW28	Cadmium, Total	0.625	No Significant Change
Alluvial	BGMW01	Calcium, Dissolved	0.367	No Significant Change
Alluvial	BGMW02	Calcium, Dissolved	0.154	No Significant Change
Alluvial	BGMW03	Calcium, Dissolved	0.167	No Significant Change
Alluvial	FW31	Calcium, Dissolved	0.167	No Significant Change
Alluvial	TMW25	Calcium, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Calcium, Dissolved	0.375	No Significant Change
Alluvial	TMW27	Calcium, Dissolved	0.500	No Significant Change
Alluvial	TMW28	Calcium, Dissolved	0.167	No Significant Change
Alluvial	BGMW01	Calcium, Total	0.154	No Significant Change
Alluvial	BGMW02	Calcium, Total	0.074	No Significant Change
Alluvial	BGMW03	Calcium, Total	0.375	No Significant Change
Alluvial	FW31	Calcium, Total	0.625	No Significant Change
Alluvial	TMW25	Calcium, Total	0.625	No Significant Change
Alluvial	TMW26	Calcium, Total	0.167	No Significant Change
Alluvial	TMW27	Calcium, Total	0.235	No Significant Change
Alluvial	TMW28	Calcium, Total	0.625	No Significant Change
Alluvial	BGMW01	Chromium, Dissolved	0.186	No Significant Change
Alluvial	BGMW02	Chromium, Dissolved	0.074	No Significant Change
Alluvial	BGMW03	Chromium, Dissolved	0.154	No Significant Change
Alluvial	FW31	Chromium, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Chromium, Dissolved	0.186	No Significant Change
Alluvial	TMW26	Chromium, Dissolved	0.074	No Significant Change
Alluvial	TMW27	Chromium, Dissolved	0.186	No Significant Change
Alluvial	TMW28	Chromium, Dissolved	0.186	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	BGMW01	Chromium, Total	0.186	No Significant Change
Alluvial	BGMW02	Chromium, Total	0.235	No Significant Change
Alluvial	BGMW03	Chromium, Total	0.500	No Significant Change
Alluvial	FW31	Chromium, Total	0.167	No Significant Change
Alluvial	TMW25	Chromium, Total	0.186	No Significant Change
Alluvial	TMW26	Chromium, Total	0.375	No Significant Change
Alluvial	TMW27	Chromium, Total	0.625	No Significant Change
Alluvial	TMW28	Chromium, Total	0.186	No Significant Change
Alluvial	BGMW01	Chrysene	0.625	No Significant Change
Alluvial	BGMW02	Chrysene	0.625	No Significant Change
Alluvial	BGMW03	Chrysene	0.625	No Significant Change
Alluvial	BGMW01	Cobalt, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Cobalt, Dissolved	0.367	No Significant Change
Alluvial	BGMW03	Cobalt, Dissolved	0.367	No Significant Change
Alluvial	FW31	Cobalt, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Cobalt, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Cobalt, Dissolved	0.625	No Significant Change
Alluvial	TMW27	Cobalt, Dissolved	0.500	No Significant Change
Alluvial	TMW28	Cobalt, Dissolved	0.625	No Significant Change
Alluvial	BGMW01	Cobalt, Total	0.625	No Significant Change
Alluvial	BGMW02	Cobalt, Total	0.625	No Significant Change
Alluvial	BGMW03	Cobalt, Total	0.625	No Significant Change
Alluvial	FW31	Cobalt, Total	0.375	No Significant Change
Alluvial	TMW25	Cobalt, Total	0.167	No Significant Change
Alluvial	TMW26	Cobalt, Total	0.375	No Significant Change
Alluvial	TMW27	Cobalt, Total	0.235	No Significant Change
Alluvial	TMW28	Cobalt, Total	0.625	No Significant Change
Alluvial	BGMW01	Copper, Dissolved	0.074	No Significant Change
Alluvial	BGMW02	Copper, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Copper, Dissolved	0.367	No Significant Change
Alluvial	FW31	Copper, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Copper, Dissolved	0.154	No Significant Change
Alluvial	TMW26	Copper, Dissolved	0.074	No Significant Change
Alluvial	TMW27	Copper, Dissolved	0.074	No Significant Change
Alluvial	TMW28	Copper, Dissolved	0.186	No Significant Change
Alluvial	BGMW01	Copper, Total	0.154	No Significant Change
Alluvial	BGMW02	Copper, Total	0.367	No Significant Change
Alluvial	BGMW03	Copper, Total	0.367	No Significant Change
Alluvial	FW31	Copper, Total	0.625	No Significant Change
Alluvial	TMW25	Copper, Total	0.045	Significantly Decreasing
Alluvial	TMW26	Copper, Total	0.045	Significantly Decreasing
Alluvial	TMW27	Copper, Total	0.186	No Significant Change
Alluvial	TMW28	Copper, Total	0.500	No Significant Change
Alluvial	BGMW01	Dibenz(a,h)anthracene	0.625	No Significant Change
Alluvial	BGMW02	Dibenz(a,h)anthracene	0.625	No Significant Change
Alluvial	BGMW03	Dibenz(a,h)anthracene	0.625	No Significant Change
Alluvial	BGMW01	Fluoranthene	0.625	No Significant Change
Alluvial	BGMW02	Fluoranthene	0.625	No Significant Change
Alluvial	BGMW03	Fluoranthene	0.625	No Significant Change
Alluvial	BGMW01	Fluorene	0.625	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	BGMW02	Fluorene	0.625	No Significant Change
Alluvial	BGMW03	Fluorene	0.625	No Significant Change
Alluvial	BGMW01	Indeno(1,2,3-Cd)pyrene	0.625	No Significant Change
Alluvial	BGMW02	Indeno(1,2,3-Cd)pyrene	0.625	No Significant Change
Alluvial	BGMW03	Indeno(1,2,3-Cd)pyrene	0.625	No Significant Change
Alluvial	BGMW01	Iron, Dissolved	0.500	No Significant Change
Alluvial	BGMW02	Iron, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Iron, Dissolved	0.500	No Significant Change
Alluvial	FW31	Iron, Dissolved	0.271	No Significant Change
Alluvial	TMW25	Iron, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Iron, Dissolved	0.500	No Significant Change
Alluvial	TMW27	Iron, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Iron, Dissolved	0.167	No Significant Change
Alluvial	BGMW01	Iron, Total	0.367	No Significant Change
Alluvial	BGMW02	Iron, Total	0.625	No Significant Change
Alluvial	BGMW03	Iron, Total	0.375	No Significant Change
Alluvial	FW31	Iron, Total	0.167	No Significant Change
Alluvial	TMW25	Iron, Total	0.074	No Significant Change
Alluvial	TMW26	Iron, Total	0.167	No Significant Change
Alluvial	TMW27	Iron, Total	0.045	Significantly Decreasing
Alluvial	TMW28	Iron, Total	0.167	No Significant Change
Alluvial	BGMW01	Lead, Dissolved	0.186	No Significant Change
Alluvial	BGMW02	Lead, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Lead, Dissolved	0.500	No Significant Change
Alluvial	FW31	Lead, Dissolved	0.186	No Significant Change
Alluvial	TMW25	Lead, Dissolved	0.186	No Significant Change
Alluvial	TMW26	Lead, Dissolved	0.235	No Significant Change
Alluvial	TMW27	Lead, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Lead, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Lead, Total	0.186	No Significant Change
Alluvial	BGMW02	Lead, Total	0.235	No Significant Change
Alluvial	BGMW03	Lead, Total	0.375	No Significant Change
Alluvial	FW31	Lead, Total	0.375	No Significant Change
Alluvial	TMW25	Lead, Total	0.186	No Significant Change
Alluvial	TMW26	Lead, Total	0.375	No Significant Change
Alluvial	TMW27	Lead, Total	0.625	No Significant Change
Alluvial	TMW28	Lead, Total	0.625	No Significant Change
Alluvial	BGMW01	Magnesium, Dissolved	0.367	No Significant Change
Alluvial	BGMW02	Magnesium, Dissolved	0.271	No Significant Change
Alluvial	BGMW03	Magnesium, Dissolved	0.105	No Significant Change
Alluvial	FW31	Magnesium, Dissolved	0.500	No Significant Change
Alluvial	TMW25	Magnesium, Dissolved	0.271	No Significant Change
Alluvial	TMW26	Magnesium, Dissolved	0.375	No Significant Change
Alluvial	TMW27	Magnesium, Dissolved	0.367	No Significant Change
Alluvial	TMW28	Magnesium, Dissolved	0.167	No Significant Change
Alluvial	BGMW01	Magnesium, Total	0.500	No Significant Change
Alluvial	BGMW02	Magnesium, Total	0.375	No Significant Change
Alluvial	BGMW03	Magnesium, Total	0.105	No Significant Change
Alluvial	FW31	Magnesium, Total	0.375	No Significant Change
Alluvial	TMW25	Magnesium, Total	0.500	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	TMW26	Magnesium, Total	0.105	No Significant Change
Alluvial	TMW27	Magnesium, Total	0.375	No Significant Change
Alluvial	TMW28	Magnesium, Total	0.105	No Significant Change
Alluvial	BGMW01	Manganese, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Manganese, Dissolved	0.154	No Significant Change
Alluvial	BGMW03	Manganese, Dissolved	0.625	No Significant Change
Alluvial	FW31	Manganese, Dissolved	0.167	No Significant Change
Alluvial	TMW25	Manganese, Dissolved	0.271	No Significant Change
Alluvial	TMW26	Manganese, Dissolved	0.367	No Significant Change
Alluvial	TMW27	Manganese, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Manganese, Dissolved	0.167	No Significant Change
Alluvial	BGMW01	Manganese, Total	0.500	No Significant Change
Alluvial	BGMW02	Manganese, Total	0.375	No Significant Change
Alluvial	BGMW03	Manganese, Total	0.625	No Significant Change
Alluvial	FW31	Manganese, Total	0.375	No Significant Change
Alluvial	TMW25	Manganese, Total	0.042	Significantly Increasing
Alluvial	TMW26	Manganese, Total	0.625	No Significant Change
Alluvial	TMW27	Manganese, Total	0.367	No Significant Change
Alluvial	TMW28	Manganese, Total	0.167	No Significant Change
Alluvial	BGMW01	Mercury, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Mercury, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Mercury, Dissolved	0.625	No Significant Change
Alluvial	FW31	Mercury, Dissolved	0.500	No Significant Change
Alluvial	TMW25	Mercury, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Mercury, Dissolved	0.625	No Significant Change
Alluvial	TMW27	Mercury, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Mercury, Dissolved	0.625	No Significant Change
Alluvial	BGMW01	Mercury, Total	0.625	No Significant Change
Alluvial	BGMW02	Mercury, Total	0.625	No Significant Change
Alluvial	BGMW03	Mercury, Total	0.500	No Significant Change
Alluvial	FW31	Mercury, Total	0.625	No Significant Change
Alluvial	TMW25	Mercury, Total	0.625	No Significant Change
Alluvial	TMW26	Mercury, Total	0.625	No Significant Change
Alluvial	TMW27	Mercury, Total	0.625	No Significant Change
Alluvial	TMW28	Mercury, Total	0.625	No Significant Change
Alluvial	BGMW01	Naphthalene	0.625	No Significant Change
Alluvial	BGMW02	Naphthalene	0.625	No Significant Change
Alluvial	BGMW03	Naphthalene	0.625	No Significant Change
Alluvial	BGMW01	Nickel, Dissolved	0.154	No Significant Change
Alluvial	BGMW02	Nickel, Dissolved	0.154	No Significant Change
Alluvial	BGMW03	Nickel, Dissolved	0.154	No Significant Change
Alluvial	FW31	Nickel, Dissolved	0.500	No Significant Change
Alluvial	TMW25	Nickel, Dissolved	0.045	Significantly Decreasing
Alluvial	TMW26	Nickel, Dissolved	0.375	No Significant Change
Alluvial	TMW27	Nickel, Dissolved	0.154	No Significant Change
Alluvial	TMW28	Nickel, Dissolved	0.154	No Significant Change
Alluvial	BGMW01	Nickel, Total	0.375	No Significant Change
Alluvial	BGMW02	Nickel, Total	0.625	No Significant Change
Alluvial	BGMW03	Nickel, Total	0.235	No Significant Change
Alluvial	FW31	Nickel, Total	0.167	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	TMW25	Nickel, Total	0.625	No Significant Change
Alluvial	TMW26	Nickel, Total	0.123	No Significant Change
Alluvial	TMW27	Nickel, Total	0.367	No Significant Change
Alluvial	TMW28	Nickel, Total	0.154	No Significant Change
Alluvial	BGMW01	Nitrate as N	0.186	No Significant Change
Alluvial	BGMW02	Nitrate as N	0.367	No Significant Change
Alluvial	BGMW03	Nitrate as N	0.045	Significantly Decreasing
Alluvial	FW31	Nitrate as N	0.045	Significantly Decreasing
Alluvial	TMW25	Nitrate as N	0.154	No Significant Change
Alluvial	TMW26	Nitrate as N	0.625	No Significant Change
Alluvial	BGMW01	Nitrite as N	0.625	No Significant Change
Alluvial	BGMW02	Nitrite as N	0.625	No Significant Change
Alluvial	BGMW03	Nitrite as N	0.367	No Significant Change
Alluvial	FW31	Nitrite as N	0.625	No Significant Change
Alluvial	TMW25	Nitrite as N	0.625	No Significant Change
Alluvial	TMW26	Nitrite as N	0.625	No Significant Change
Alluvial	BGMW01	Perchlorate	0.625	No Significant Change
Alluvial	BGMW02	Perchlorate	0.367	No Significant Change
Alluvial	BGMW03	Perchlorate	0.367	No Significant Change
Alluvial	TMW26	Perchlorate	0.500	No Significant Change
Alluvial	TMW27	Perchlorate	0.625	No Significant Change
Alluvial	BGMW01	Phenanthrene	0.625	No Significant Change
Alluvial	BGMW02	Phenanthrene	0.625	No Significant Change
Alluvial	BGMW03	Phenanthrene	0.625	No Significant Change
Alluvial	BGMW01	Potassium, Dissolved	0.375	No Significant Change
Alluvial	BGMW02	Potassium, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Potassium, Dissolved	0.167	No Significant Change
Alluvial	FW31	Potassium, Dissolved	0.167	No Significant Change
Alluvial	TMW25	Potassium, Dissolved	0.375	No Significant Change
Alluvial	TMW26	Potassium, Dissolved	0.167	No Significant Change
Alluvial	TMW27	Potassium, Dissolved	0.375	No Significant Change
Alluvial	TMW28	Potassium, Dissolved	0.375	No Significant Change
Alluvial	BGMW01	Potassium, Total	0.625	No Significant Change
Alluvial	BGMW02	Potassium, Total	0.042	Significantly Increasing
Alluvial	BGMW03	Potassium, Total	0.625	No Significant Change
Alluvial	FW31	Potassium, Total	0.375	No Significant Change
Alluvial	TMW25	Potassium, Total	0.167	No Significant Change
Alluvial	TMW26	Potassium, Total	0.375	No Significant Change
Alluvial	TMW27	Potassium, Total	0.105	No Significant Change
Alluvial	TMW28	Potassium, Total	0.375	No Significant Change
Alluvial	BGMW01	Pyrene	0.625	No Significant Change
Alluvial	BGMW02	Pyrene	0.625	No Significant Change
Alluvial	BGMW03	Pyrene	0.625	No Significant Change
Alluvial	BGMW01	Selenium, Dissolved	0.186	No Significant Change
Alluvial	BGMW02	Selenium, Dissolved	0.367	No Significant Change
Alluvial	BGMW03	Selenium, Dissolved	0.154	No Significant Change
Alluvial	FW31	Selenium, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Selenium, Dissolved	0.074	No Significant Change
Alluvial	TMW26	Selenium, Dissolved	0.074	No Significant Change
Alluvial	TMW27	Selenium, Dissolved	0.186	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	TMW28	Selenium, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Selenium, Total	0.186	No Significant Change
Alluvial	BGMW02	Selenium, Total	0.625	No Significant Change
Alluvial	BGMW03	Selenium, Total	0.154	No Significant Change
Alluvial	FW31	Selenium, Total	0.625	No Significant Change
Alluvial	TMW25	Selenium, Total	0.186	No Significant Change
Alluvial	TMW26	Selenium, Total	0.186	No Significant Change
Alluvial	TMW27	Selenium, Total	0.625	No Significant Change
Alluvial	TMW28	Selenium, Total	0.625	No Significant Change
Alluvial	BGMW01	Silver, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Silver, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Silver, Dissolved	0.625	No Significant Change
Alluvial	FW31	Silver, Dissolved	0.186	No Significant Change
Alluvial	TMW25	Silver, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Silver, Dissolved	0.500	No Significant Change
Alluvial	TMW27	Silver, Dissolved	0.500	No Significant Change
Alluvial	TMW28	Silver, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Silver, Total	0.625	No Significant Change
Alluvial	BGMW02	Silver, Total	0.625	No Significant Change
Alluvial	BGMW03	Silver, Total	0.500	No Significant Change
Alluvial	FW31	Silver, Total	0.271	No Significant Change
Alluvial	TMW25	Silver, Total	0.074	No Significant Change
Alluvial	TMW26	Silver, Total	0.375	No Significant Change
Alluvial	TMW27	Silver, Total	0.625	No Significant Change
Alluvial	TMW28	Silver, Total	0.625	No Significant Change
Alluvial	BGMW01	Sodium, Dissolved	0.367	No Significant Change
Alluvial	BGMW03	Sodium, Dissolved	0.167	No Significant Change
Alluvial	FW31	Sodium, Dissolved	0.105	No Significant Change
Alluvial	TMW25	Sodium, Dissolved	0.625	No Significant Change
Alluvial	TMW26	Sodium, Dissolved	0.167	No Significant Change
Alluvial	TMW27	Sodium, Dissolved	0.271	No Significant Change
Alluvial	TMW28	Sodium, Dissolved	0.042	Significantly Increasing
Alluvial	BGMW01	Sodium, Total	0.625	No Significant Change
Alluvial	BGMW03	Sodium, Total	0.375	No Significant Change
Alluvial	FW31	Sodium, Total	0.271	No Significant Change
Alluvial	TMW25	Sodium, Total	0.154	No Significant Change
Alluvial	TMW26	Sodium, Total	0.500	No Significant Change
Alluvial	TMW27	Sodium, Total	0.625	No Significant Change
Alluvial	TMW28	Sodium, Total	0.042	Significantly Increasing
Alluvial	BGMW01	Thallium, Dissolved	0.625	No Significant Change
Alluvial	BGMW02	Thallium, Dissolved	0.500	No Significant Change
Alluvial	BGMW03	Thallium, Dissolved	0.105	No Significant Change
Alluvial	FW31	Thallium, Dissolved	0.625	No Significant Change
Alluvial	TMW25	Thallium, Dissolved	0.186	No Significant Change
Alluvial	TMW26	Thallium, Dissolved	0.500	No Significant Change
Alluvial	TMW27	Thallium, Dissolved	0.625	No Significant Change
Alluvial	TMW28	Thallium, Dissolved	0.271	No Significant Change
Alluvial	BGMW01	Thallium, Total	0.625	No Significant Change
Alluvial	BGMW02	Thallium, Total	0.271	No Significant Change
Alluvial	BGMW03	Thallium, Total	0.375	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Alluvial	FW31	Thallium, Total	0.625	No Significant Change
Alluvial	TMW25	Thallium, Total	0.625	No Significant Change
Alluvial	TMW26	Thallium, Total	0.271	No Significant Change
Alluvial	TMW27	Thallium, Total	0.625	No Significant Change
Alluvial	TMW28	Thallium, Total	0.271	No Significant Change
Alluvial	BGMW01	Vanadium, Dissolved	0.154	No Significant Change
Alluvial	BGMW02	Vanadium, Dissolved	0.625	No Significant Change
Alluvial	BGMW03	Vanadium, Dissolved	0.625	No Significant Change
Alluvial	FW31	Vanadium, Dissolved	0.500	No Significant Change
Alluvial	TMW25	Vanadium, Dissolved	0.045	Significantly Decreasing
Alluvial	TMW26	Vanadium, Dissolved	0.154	No Significant Change
Alluvial	TMW27	Vanadium, Dissolved	0.074	No Significant Change
Alluvial	TMW28	Vanadium, Dissolved	0.045	Significantly Decreasing
Alluvial	BGMW01	Vanadium, Total	0.045	Significantly Decreasing
Alluvial	BGMW02	Vanadium, Total	0.167	No Significant Change
Alluvial	BGMW03	Vanadium, Total	0.625	No Significant Change
Alluvial	FW31	Vanadium, Total	0.271	No Significant Change
Alluvial	TMW25	Vanadium, Total	0.045	Significantly Decreasing
Alluvial	TMW26	Vanadium, Total	0.375	No Significant Change
Alluvial	TMW27	Vanadium, Total	0.500	No Significant Change
Alluvial	TMW28	Vanadium, Total	0.625	No Significant Change
Alluvial	BGMW01	Zinc, Dissolved	0.074	No Significant Change
Alluvial	BGMW02	Zinc, Dissolved	0.074	No Significant Change
Alluvial	BGMW03	Zinc, Dissolved	0.154	No Significant Change
Alluvial	FW31	Zinc, Dissolved	0.154	No Significant Change
Alluvial	TMW25	Zinc, Dissolved	0.154	No Significant Change
Alluvial	TMW26	Zinc, Dissolved	0.367	No Significant Change
Alluvial	TMW27	Zinc, Dissolved	0.235	No Significant Change
Alluvial	TMW28	Zinc, Dissolved	0.367	No Significant Change
Alluvial	BGMW01	Zinc, Total	0.186	No Significant Change
Alluvial	BGMW02	Zinc, Total	0.625	No Significant Change
Alluvial	BGMW03	Zinc, Total	0.367	No Significant Change
Alluvial	FW31	Zinc, Total	0.375	No Significant Change
Alluvial	TMW25	Zinc, Total	0.045	Significantly Decreasing
Alluvial	TMW26	Zinc, Total	0.154	No Significant Change
Alluvial	TMW27	Zinc, Total	0.367	No Significant Change
Alluvial	TMW28	Zinc, Total	0.367	No Significant Change
Alluvial	BGMW01	m,p-Cresol	0.625	No Significant Change
Alluvial	BGMW02	m,p-Cresol	0.625	No Significant Change
Alluvial	BGMW03	m,p-Cresol	0.625	No Significant Change
Bedrock	TMW19	2-Chloronaphthalene	0.500	No Significant Change
Bedrock	TMW19	2-Methylnaphthalene	0.500	No Significant Change
Bedrock	TMW19	Acenaphthene	0.500	No Significant Change
Bedrock	TMW19	Acenaphthylene	0.500	No Significant Change
Bedrock	TMW17	Aluminum, Dissolved	0.152	No Significant Change
Bedrock	TMW19	Aluminum, Dissolved	0.823	No Significant Change
Bedrock	TMW17	Aluminum, Total	0.032	Significantly Decreasing
Bedrock	TMW19	Aluminum, Total	0.366	No Significant Change
Bedrock	TMW19	Anthracene	0.500	No Significant Change
Bedrock	TMW17	Antimony, Dissolved	0.500	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Bedrock	TMW19	Antimony, Dissolved	0.386	No Significant Change
Bedrock	TMW17	Antimony, Total	0.665	No Significant Change
Bedrock	TMW19	Antimony, Total	0.585	No Significant Change
Bedrock	TMW17	Arsenic, Dissolved	0.585	No Significant Change
Bedrock	TMW19	Arsenic, Dissolved	0.794	No Significant Change
Bedrock	TMW17	Arsenic, Total	0.032	Significantly Increasing
Bedrock	TMW19	Arsenic, Total	0.415	No Significant Change
Bedrock	TMW17	Barium, Dissolved	0.026	Significantly Increasing
Bedrock	TMW19	Barium, Dissolved	0.122	No Significant Change
Bedrock	TMW17	Barium, Total	0.166	No Significant Change
Bedrock	TMW19	Barium, Total	0.186	No Significant Change
Bedrock	TMW19	Benzo(a)anthracene	0.500	No Significant Change
Bedrock	TMW19	Benzo(a)pyrene	0.500	No Significant Change
Bedrock	TMW19	Benzo(b)fluoranthene	0.500	No Significant Change
Bedrock	TMW19	Benzo(g,h,i)perylene	0.500	No Significant Change
Bedrock	TMW19	Benzo(k)fluoranthene	0.500	No Significant Change
Bedrock	TMW17	Beryllium, Dissolved	0.123	No Significant Change
Bedrock	TMW19	Beryllium, Dissolved	0.500	No Significant Change
Bedrock	TMW17	Beryllium, Total	0.808	No Significant Change
Bedrock	TMW19	Beryllium, Total	0.158	No Significant Change
Bedrock	TMW17	Cadmium, Dissolved	0.500	No Significant Change
Bedrock	TMW19	Cadmium, Dissolved	0.261	No Significant Change
Bedrock	TMW17	Cadmium, Total	0.500	No Significant Change
Bedrock	TMW19	Cadmium, Total	0.614	No Significant Change
Bedrock	TMW17	Calcium, Dissolved	0.832	No Significant Change
Bedrock	TMW19	Calcium, Dissolved	0.634	No Significant Change
Bedrock	TMW17	Calcium, Total	0.814	No Significant Change
Bedrock	TMW19	Calcium, Total	0.096	No Significant Change
Bedrock	TMW19	Chloronaphthalene, beta-	0.500	No Significant Change
Bedrock	TMW17	Chromium, Dissolved	0.660	No Significant Change
Bedrock	TMW19	Chromium, Dissolved	0.384	No Significant Change
Bedrock	TMW17	Chromium, Total	0.644	No Significant Change
Bedrock	TMW19	Chromium, Total	0.057	No Significant Change
Bedrock	TMW19	Chrysene	0.500	No Significant Change
Bedrock	TMW17	Cobalt, Dissolved	0.067	No Significant Change
Bedrock	TMW19	Cobalt, Dissolved	0.142	No Significant Change
Bedrock	TMW17	Cobalt, Total	0.839	No Significant Change
Bedrock	TMW19	Cobalt, Total	0.823	No Significant Change
Bedrock	TMW17	Copper, Dissolved	0.585	No Significant Change
Bedrock	TMW19	Copper, Dissolved	0.678	No Significant Change
Bedrock	TMW17	Copper, Total	0.225	No Significant Change
Bedrock	TMW19	Copper, Total	0.152	No Significant Change
Bedrock	TMW19	Cresol, o-	0.360	No Significant Change
Bedrock	TMW19	Dibenz(a,h)anthracene	0.500	No Significant Change
Bedrock	TMW19	Dinitro-o-Cresol, 4,6-	0.500	No Significant Change
Bedrock	TMW19	Fluoranthene	0.500	No Significant Change
Bedrock	TMW19	Fluorene	0.500	No Significant Change
Bedrock	TMW19	Indeno(1,2,3-Cd)pyrene	0.500	No Significant Change
Bedrock	TMW17	Iron, Dissolved	0.231	No Significant Change
Bedrock	TMW19	Iron, Dissolved	0.083	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Bedrock	TMW17	Iron, Total	0.391	No Significant Change
Bedrock	TMW19	Iron, Total	0.152	No Significant Change
Bedrock	TMW17	Lead, Dissolved	0.528	No Significant Change
Bedrock	TMW19	Lead, Dissolved	0.719	No Significant Change
Bedrock	TMW17	Lead, Total	0.777	No Significant Change
Bedrock	TMW19	Lead, Total	0.070	No Significant Change
Bedrock	TMW17	Magnesium, Dissolved	0.108	No Significant Change
Bedrock	TMW19	Magnesium, Dissolved	0.816	No Significant Change
Bedrock	TMW17	Magnesium, Total	0.500	No Significant Change
Bedrock	TMW19	Magnesium, Total	0.291	No Significant Change
Bedrock	TMW17	Manganese, Dissolved	0.755	No Significant Change
Bedrock	TMW19	Manganese, Dissolved	0.315	No Significant Change
Bedrock	TMW17	Manganese, Total	0.246	No Significant Change
Bedrock	TMW19	Manganese, Total	0.185	No Significant Change
Bedrock	TMW17	Mercury, Dissolved	0.500	No Significant Change
Bedrock	TMW19	Mercury, Dissolved	0.500	No Significant Change
Bedrock	TMW17	Mercury, Total	0.500	No Significant Change
Bedrock	TMW19	Mercury, Total	0.500	No Significant Change
Bedrock	TMW19	Methylnaphthalene, 2-	0.500	No Significant Change
Bedrock	TMW19	Naphthalene	0.500	No Significant Change
Bedrock	TMW17	Nickel, Dissolved	0.045	Significantly Increasing
Bedrock	TMW19	Nickel, Dissolved	0.555	No Significant Change
Bedrock	TMW17	Nickel, Total	0.142	No Significant Change
Bedrock	TMW19	Nickel, Total	0.168	No Significant Change
Bedrock	TMW17	Nitrate as N	0.386	No Significant Change
Bedrock	TMW17	Nitrite as N	0.500	No Significant Change
Bedrock	TMW17	Perchlorate	0.364	No Significant Change
Bedrock	TMW19	Perchlorate	0.500	No Significant Change
Bedrock	TMW19	Phenanthrene	0.500	No Significant Change
Bedrock	TMW17	Potassium, Dissolved	0.500	No Significant Change
Bedrock	TMW19	Potassium, Dissolved	0.684	No Significant Change
Bedrock	TMW17	Potassium, Total	0.500	No Significant Change
Bedrock	TMW19	Potassium, Total	0.205	No Significant Change
Bedrock	TMW19	Pyrene	0.500	No Significant Change
Bedrock	TMW17	Selenium, Dissolved	0.585	No Significant Change
Bedrock	TMW19	Selenium, Dissolved	0.585	No Significant Change
Bedrock	TMW17	Selenium, Total	0.678	No Significant Change
Bedrock	TMW19	Selenium, Total	0.108	No Significant Change
Bedrock	TMW17	Silver, Dissolved	0.500	No Significant Change
Bedrock	TMW19	Silver, Dissolved	0.500	No Significant Change
Bedrock	TMW17	Silver, Total	0.018	Significantly Increasing
Bedrock	TMW19	Silver, Total	0.081	No Significant Change
Bedrock	TMW17	Sodium, Dissolved	0.108	No Significant Change
Bedrock	TMW19	Sodium, Dissolved	0.581	No Significant Change
Bedrock	TMW17	Sodium, Total	0.003	Significantly Increasing
Bedrock	TMW19	Sodium, Total	0.418	No Significant Change
Bedrock	TMW17	Thallium, Dissolved	0.500	No Significant Change
Bedrock	TMW19	Thallium, Dissolved	0.500	No Significant Change
Bedrock	TMW17	Thallium, Total	0.386	No Significant Change
Bedrock	TMW19	Thallium, Total	0.281	No Significant Change

TABLE 2
Mann-Kendall Trend Evaluation (By Well)

Summary	Number	Percent
Total Evaluations	560	NA
Significantly Decreasing	17	3.0%
Significantly Increasing	9	1.6%

Aquifer	Well	Constituent	Calculated Probability	Conclusion (using 0.05 significance level)
Bedrock	TMW17	Vanadium, Dissolved	0.001	Significantly Decreasing
Bedrock	TMW19	Vanadium, Dissolved	0.050	Significantly Decreasing
Bedrock	TMW17	Vanadium, Total	0.042	Significantly Decreasing
Bedrock	TMW19	Vanadium, Total	0.057	No Significant Change
Bedrock	TMW17	Zinc, Dissolved	0.609	No Significant Change
Bedrock	TMW19	Zinc, Dissolved	0.718	No Significant Change
Bedrock	TMW17	Zinc, Total	0.057	No Significant Change
Bedrock	TMW19	Zinc, Total	0.500	No Significant Change
Bedrock	TMW19	m,p-Cresol	0.196	No Significant Change

TABLE 3
Evaluation of Outliers

Date	Aquifer	Well	Constituent	Units	Qualifier	Result	¹ Mathematical Outlier Using Untransformed Data?	¹ Mathematical Outlier Considering Transformations to Improve Adherence to Normality?	Percent Difference from Next Highest Value	Exclude or Retain Result in Background Data Set	Justification for Exclusion of Outlier
10/25/2012	Alluvial	TMW26	Aluminum, Dissolved	µg/L	J	1100	yes	yes	206%	exclude	c
4/17/2013	Alluvial	TMW26	Aluminum, Dissolved	µg/L	--	360	yes	yes	13%	exclude	c
4/12/2013	Alluvial	FW31	Aluminum, Dissolved	µg/L	--	320	yes	yes	371%	exclude	a
10/31/2012	Alluvial	BGMW03	Aluminum, Total	µg/L	J	26000	yes	--	117%	exclude	a
11/1/2013	Alluvial	FW31	Aluminum, Total	µg/L	--	12000	yes	--	380%	exclude	a
11/5/2013	Alluvial	BGMW03	Aluminum, Total	µg/L	--	2500	yes	--	19%	exclude	a
4/20/2012	Alluvial	FW31	Aluminum, Total	µg/L	--	2100	yes	--	40%	exclude	a
4/20/2012	Alluvial	FW31	Antimony, Dissolved	µg/L	J	1.2	yes	yes	9%	exclude	a
11/5/2013	Alluvial	TMW28	Antimony, Dissolved	µg/L	J	1.1	yes	yes	10%	retain	--
4/17/2012	Alluvial	TMW25	Antimony, Dissolved	µg/L	J	1	yes	yes	32%	retain	--
11/4/2013	Alluvial	TMW26	Antimony, Dissolved	µg/L	J	0.76	yes	yes	15%	retain	--
4/20/2012	Alluvial	FW31	Antimony, Total	µg/L	J	1.3	yes	yes	8%	exclude	a
4/25/2012	Alluvial	TMW27	Antimony, Total	µg/L	J	0.9	yes	--	3%	retain	--
11/5/2013	Alluvial	BGMW03	Antimony, Total	µg/L	J	0.87	yes	--	6%	exclude	a
4/17/2013	Alluvial	TMW26	Antimony, Total	µg/L	J	0.82	yes	--	3%	retain	--
4/25/2012	Alluvial	TMW27	Arsenic, Dissolved	µg/L	--	21	yes	--	0%	exclude	b
4/12/2013	Alluvial	TMW27	Arsenic, Dissolved	µg/L	--	21	yes	--	0%	exclude	b
11/1/2012	Alluvial	TMW27	Arsenic, Dissolved	µg/L	--	21	yes	--	5%	exclude	b
11/5/2013	Alluvial	TMW27	Arsenic, Dissolved	µg/L	--	20	yes	--	82%	exclude	b
4/12/2013	Alluvial	TMW27	Arsenic, Total	µg/L	--	21	yes	--	5%	exclude	b
11/5/2013	Alluvial	TMW27	Arsenic, Total	µg/L	--	20	yes	--	5%	exclude	b
4/25/2012	Alluvial	TMW27	Arsenic, Total	µg/L	--	19	yes	--	0%	exclude	b
11/1/2012	Alluvial	TMW27	Arsenic, Total	µg/L	--	19	yes	--	107%	exclude	b
11/1/2012	Alluvial	TMW27	Barium, Dissolved	µg/L	--	130	yes	--	8%	exclude	b
11/5/2013	Alluvial	TMW27	Barium, Dissolved	µg/L	--	130	yes	--	0%	exclude	b
4/25/2012	Alluvial	TMW27	Barium, Dissolved	µg/L	--	120	yes	--	60%	exclude	b
4/12/2013	Alluvial	TMW27	Barium, Dissolved	µg/L	--	120	yes	--	0%	exclude	b
11/1/2013	Alluvial	FW31	Barium, Total	µg/L	--	480	yes	--	140%	exclude	a
10/31/2012	Alluvial	BGMW03	Barium, Total	µg/L	J	200	yes	--	54%	exclude	a
10/31/2012	Alluvial	BGMW03	Beryllium, Total	µg/L	--	1.3	yes	yes	171%	exclude	a
11/1/2013	Alluvial	FW31	Beryllium, Total	µg/L	J	0.46	yes	yes	70%	exclude	a
4/20/2012	Alluvial	FW31	Cadmium, Total	µg/L	J	0.4	yes	--	33%	exclude	a
10/30/2012	Alluvial	BGMW02	Calcium, Dissolved	µg/L	--	300000	yes	yes	36%	exclude	c
11/5/2013	Alluvial	TMW28	Calcium, Dissolved	µg/L	--	220000	yes	yes	100%	exclude	c
11/5/2013	Alluvial	TMW28	Calcium, Total	µg/L	--	210000	yes	--	75%	retain	--
4/17/2012	Alluvial	TMW25	Chromium, Dissolved	µg/L	--	11	yes	--	62%	exclude	c
4/24/2012	Alluvial	BGMW03	Chromium, Dissolved	µg/L	J	6.8	yes	--	11%	exclude	a
4/12/2013	Alluvial	FW31	Chromium, Dissolved	µg/L	J	6.1	yes	--	5%	exclude	a
4/21/2012	Alluvial	TMW28	Chromium, Dissolved	µg/L	J	5.8	yes	--	41%	retain	--
10/31/2012	Alluvial	BGMW03	Chromium, Total	µg/L	--	15	yes	yes	88%	exclude	a
11/1/2013	Alluvial	FW31	Chromium, Total	µg/L	J	8	yes	yes	5%	exclude	a
4/12/2013	Alluvial	FW31	Chromium, Total	µg/L	J	7.6	yes	yes	153%	exclude	a
10/30/2012	Alluvial	BGMW02	Cobalt, Dissolved	µg/L	--	2.2	yes	--	100%	exclude	c
10/26/2012	Alluvial	BGMW01	Cobalt, Dissolved	µg/L	--	1.1	yes	--	53%	retain	--
10/31/2012	Alluvial	BGMW03	Cobalt, Total	µg/L	--	7.1	yes	--	78%	exclude	a
11/1/2013	Alluvial	FW31	Cobalt, Total	µg/L	--	4	yes	--	186%	exclude	a
4/25/2012	Alluvial	BGMW02	Copper, Dissolved	µg/L	--	15	yes	yes	7%	exclude	c

TABLE 3
Evaluation of Outliers

Date	Aquifer	Well	Constituent	Units	Qualifier	Result	¹ Mathematical Outlier Using Untransformed Data?	¹ Mathematical Outlier Considering Transformations to Improve Adherence to Normality?	Percent Difference from Next Highest Value	Exclude or Retain Result in Background Data Set	Justification for Exclusion of Outlier
4/25/2012	Alluvial	BGMW01	Copper, Dissolved	µg/L	--	14	yes	yes	8%	exclude	c
4/17/2012	Alluvial	TMW25	Copper, Dissolved	µg/L	--	13	yes	yes	8%	exclude	c
4/20/2012	Alluvial	TMW26	Copper, Dissolved	µg/L	--	12	yes	yes	145%	exclude	c
10/31/2012	Alluvial	BGMW03	Copper, Total	µg/L	--	17	yes	--	42%	exclude	a
10/31/2012	Alluvial	BGMW03	Iron, Total	µg/L	J	15000	yes	--	241%	exclude	a
11/1/2013	Alluvial	FW31	Iron, Total	µg/L	--	4400	yes	--	144%	exclude	a
11/5/2013	Alluvial	BGMW03	Iron, Total	µg/L	--	1800	yes	--	20%	exclude	a
4/25/2012	Alluvial	TMW27	Iron, Total	µg/L	--	1500	yes	--	79%	retain	--
10/31/2012	Alluvial	BGMW03	Lead, Total	µg/L	--	11	yes	yes	134%	exclude	a
11/1/2013	Alluvial	FW31	Lead, Total	µg/L	--	4.7	yes	yes	161%	exclude	a
11/5/2013	Alluvial	BGMW03	Lead, Total	µg/L	J	1.8	yes	--	29%	exclude	a
4/20/2012	Alluvial	FW31	Lead, Total	µg/L	--	1.4	yes	--	40%	exclude	a
4/3/2013	Alluvial	BGMW02	Magnesium, Dissolved	µg/L	--	130000	yes	--	0%	exclude	b
11/5/2013	Alluvial	BGMW02	Magnesium, Dissolved	µg/L	--	130000	yes	--	8%	exclude	b
4/25/2012	Alluvial	BGMW02	Magnesium, Dissolved	µg/L	--	120000	yes	--	32%	exclude	b
10/30/2012	Alluvial	BGMW02	Magnesium, Dissolved	µg/L	--	91000	yes	--	40%	exclude	b
11/5/2013	Alluvial	TMW28	Magnesium, Dissolved	µg/L	--	65000	yes	--	124%	exclude	c
10/30/2012	Alluvial	BGMW02	Magnesium, Total	µg/L	--	130000	yes	--	8%	exclude	b
11/5/2013	Alluvial	BGMW02	Magnesium, Total	µg/L	--	130000	yes	--	0%	exclude	b
4/25/2012	Alluvial	BGMW02	Magnesium, Total	µg/L	--	120000	yes	--	88%	exclude	b
4/3/2013	Alluvial	BGMW02	Magnesium, Total	µg/L	--	120000	yes	--	0%	exclude	b
11/5/2013	Alluvial	TMW28	Magnesium, Total	µg/L	--	64000	yes	--	106%	exclude	c
10/30/2012	Alluvial	BGMW02	Nickel, Dissolved	µg/L	--	12	yes	--	186%	exclude	c
4/12/2013	Alluvial	FW31	Nickel, Dissolved	µg/L	--	4.2	yes	--	2%	exclude	a
11/4/2013	Alluvial	TMW26	Nickel, Dissolved	µg/L	--	4.2	yes	--	0%	retain	--
4/25/2012	Alluvial	BGMW02	Nickel, Dissolved	µg/L	J	4.1	yes	--	32%	retain	--
10/31/2012	Alluvial	BGMW03	Nickel, Total	µg/L	--	11	yes	yes	49%	exclude	a
11/1/2013	Alluvial	FW31	Nickel, Total	µg/L	--	7.4	yes	yes	80%	exclude	a
4/25/2012	Alluvial	BGMW02	Nitrate as N	mg/L	--	18	yes	--	43%	retain	--
11/5/2013	Alluvial	BGMW02	Nitrate as N	mg/L	--	12.6	yes	--	5%	retain	--
10/30/2012	Alluvial	BGMW02	Nitrate as N	mg/L	--	12	yes	--	1%	retain	--
4/3/2013	Alluvial	BGMW02	Nitrate as N	mg/L	--	11.9	yes	--	43%	retain	--
4/24/2012	Alluvial	BGMW03	Nitrate as N	mg/L	--	8.3	yes	--	43%	retain	--
4/24/2012	Alluvial	BGMW03	Nitrite as N	mg/L	--	0.35	yes	--	75%	retain	--
10/31/2012	Alluvial	BGMW03	Perchlorate	µg/L	--	3.1	yes	yes	435%	exclude	a
10/30/2012	Alluvial	BGMW02	Potassium, Dissolved	µg/L	--	15000	yes	yes	456%	exclude	c
10/31/2012	Alluvial	BGMW03	Potassium, Total	µg/L	--	5800	yes	--	41%	retain	--
11/1/2013	Alluvial	FW31	Potassium, Total	µg/L	--	4100	yes	--	44%	retain	--
4/25/2012	Alluvial	BGMW02	Selenium, Dissolved	µg/L	--	110	yes	--	36%	exclude	b
4/3/2013	Alluvial	BGMW02	Selenium, Dissolved	µg/L	--	81	yes	--	1%	exclude	b
11/5/2013	Alluvial	BGMW02	Selenium, Dissolved	µg/L	--	80	yes	--	74%	exclude	b
10/31/2012	Alluvial	BGMW03	Selenium, Dissolved	µg/L	--	46	yes	--	7%	exclude	a
4/24/2012	Alluvial	BGMW03	Selenium, Dissolved	µg/L	--	43	yes	--	48%	exclude	a
4/25/2012	Alluvial	BGMW02	Selenium, Total	µg/L	--	95	yes	--	9%	exclude	b
11/5/2013	Alluvial	BGMW02	Selenium, Total	µg/L	--	87	yes	--	4%	exclude	b
4/3/2013	Alluvial	BGMW02	Selenium, Total	µg/L	--	84	yes	--	6%	exclude	b
10/30/2012	Alluvial	BGMW02	Selenium, Total	µg/L	--	79	yes	--	68%	exclude	b

TABLE 3
Evaluation of Outliers

Date	Aquifer	Well	Constituent	Units	Qualifier	Result	¹ Mathematical Outlier Using Untransformed Data?	¹ Mathematical Outlier Considering Transformations to Improve Adherence to Normality?	Percent Difference from Next Highest Value	Exclude or Retain Result in Background Data Set	Justification for Exclusion of Outlier
4/24/2012	Alluvial	BGMW03	Selenium, Total	µg/L	--	47	yes	--	18%	exclude	a
4/20/2012	Alluvial	FW31	Silver, Dissolved	µg/L	--	1.9	yes	yes	217%	exclude	a
4/17/2012	Alluvial	TMW25	Silver, Total	µg/L	J	1.1	yes	yes	450%	exclude	c
4/17/2012	Alluvial	TMW25	Thallium, Dissolved	µg/L	J	1	yes	yes	150%	exclude	c
10/31/2012	Alluvial	BGMW03	Vanadium, Total	µg/L	--	43	yes	yes	115%	exclude	a
11/1/2013	Alluvial	FW31	Vanadium, Total	µg/L	--	20	yes	--	43%	exclude	a
4/2/2013	Alluvial	TMW28	Zinc, Dissolved	µg/L	--	30	yes	yes	100%	exclude	c
4/2/2013	Alluvial	TMW28	Zinc, Total	µg/L	--	120	yes	--	118%	exclude	c
4/25/2012	Alluvial	TMW27	Zinc, Total	µg/L	--	55	yes	--	4%	retain	--
11/1/2013	Alluvial	FW31	Zinc, Total	µg/L	--	53	yes	--	2%	retain	--
10/31/2012	Alluvial	BGMW03	Zinc, Total	µg/L	--	52	yes	--	30%	retain	--
4/25/2012	Alluvial	BGMW01	Zinc, Total	µg/L	J	40	yes	--	25%	retain	--
10/20/2008	Bedrock	TMW17	Aluminum, Dissolved	µg/L	J	384	yes	--	2%	exclude	c
4/20/2009	Bedrock	TMW19	Aluminum, Dissolved	µg/L	--	378	yes	--	103%	exclude	c
5/7/2008	Bedrock	TMW19	Aluminum, Total	µg/L	--	26000	yes	--	63%	exclude	c
4/9/2011	Bedrock	TMW19	Aluminum, Total	µg/L	J	16000	yes	--	63%	exclude	c
4/12/2013	Bedrock	TMW19	Aluminum, Total	µg/L	--	9800	yes	--	27%	exclude	c
4/17/2010	Bedrock	TMW19	Aluminum, Total	µg/L	--	7690	yes	--	156%	exclude	c
5/7/2008	Bedrock	TMW19	Arsenic, Total	µg/L	J	49.9	yes	--	13%	exclude	c
11/9/2012	Bedrock	TMW17	Barium, Dissolved	µg/L	--	21	yes	--	31%	retain	--
5/7/2008	Bedrock	TMW19	Barium, Total	µg/L	--	82.5	yes	yes	29%	retain	--
11/9/2012	Bedrock	TMW17	Barium, Total	µg/L	--	64	yes	--	2%	retain	--
4/9/2011	Bedrock	TMW19	Barium, Total	µg/L	--	63	yes	yes	43%	retain	--
4/12/2013	Bedrock	TMW19	Barium, Total	µg/L	--	44	yes	yes	41%	retain	--
4/17/2010	Bedrock	TMW19	Chromium, Dissolved	µg/L	--	6.1	yes	yes	56%	retain	--
5/7/2008	Bedrock	TMW19	Chromium, Total	µg/L	J	19.5	yes	--	150%	exclude	c
11/9/2012	Bedrock	TMW17	Copper, Total	µg/L	--	28	yes	--	4%	retain	--
5/7/2008	Bedrock	TMW19	Copper, Total	µg/L	J	26.8	yes	--	18%	retain	--
5/7/2008	Bedrock	TMW17	Copper, Total	µg/L	J	22.8	yes	--	14%	retain	--
4/9/2011	Bedrock	TMW19	Copper, Total	µg/L	--	20	yes	--	0%	retain	--
5/7/2008	Bedrock	TMW19	Iron, Total	µg/L	--	13100	yes	--	157%	exclude	c
4/12/2013	Bedrock	TMW19	Iron, Total	µg/L	--	5100	yes	--	16%	retain	--
4/9/2011	Bedrock	TMW19	Iron, Total	µg/L	--	4400	yes	--	42%	retain	--
4/17/2010	Bedrock	TMW19	Iron, Total	µg/L	--	3100	yes	--	20%	retain	--
4/20/2009	Bedrock	TMW19	Iron, Total	µg/L	--	2580	yes	--	12%	retain	--
11/9/2012	Bedrock	TMW17	Lead, Total	µg/L	--	22	yes	yes	20%	exclude	c
10/15/2011	Bedrock	TMW19	Magnesium, Dissolved	µg/L	--	2600	yes	--	73%	retain	--
5/7/2008	Bedrock	TMW19	Magnesium, Total	µg/L	--	8340	yes	--	57%	retain	--
4/9/2011	Bedrock	TMW19	Magnesium, Total	µg/L	--	5300	yes	--	47%	retain	--
4/12/2013	Bedrock	TMW19	Magnesium, Total	µg/L	--	3600	yes	--	9%	retain	--
4/17/2010	Bedrock	TMW19	Magnesium, Total	µg/L	--	3300	yes	--	57%	retain	--
10/28/2008	Bedrock	TMW19	Nickel, Dissolved	µg/L	--	9.4	yes	yes	3%	exclude	c
4/21/2012	Bedrock	TMW19	Nickel, Dissolved	µg/L	J	9.1	yes	yes	117%	exclude	c
4/12/2013	Bedrock	TMW19	Nickel, Dissolved	µg/L	--	4.2	yes	--	27%	retain	--
4/20/2009	Bedrock	TMW19	Potassium, Dissolved	µg/L	J	4370	yes	--	6%	retain	--
10/14/2010	Bedrock	TMW17	Potassium, Dissolved	µg/L	J	4140	yes	--	57%	retain	--
5/7/2008	Bedrock	TMW19	Potassium, Total	µg/L	--	5260	yes	--	37%	retain	--

TABLE 3
Evaluation of Outliers

Date	Aquifer	Well	Constituent	Units	Qualifier	Result	¹ Mathematical Outlier Using Untransformed Data?	¹ Mathematical Outlier Considering Transformations to Improve Adherence to Normality?	Percent Difference from Next Highest Value	Exclude or Retain Result in Background Data Set	Justification for Exclusion of Outlier
4/17/2010	Bedrock	TMW19	Potassium, Total	µg/L	--	3850	yes	--	25%	retain	--
5/7/2008	Bedrock	TMW17	Vanadium, Dissolved	µg/L	--	51	yes	yes	2%	exclude	c
5/7/2008	Bedrock	TMW19	Vanadium, Total	µg/L	J	92.2	yes	yes	105%	exclude	c
5/7/2008	Bedrock	TMW17	Vanadium, Total	µg/L	J	45	yes	yes	200%	exclude	c
11/9/2012	Bedrock	TMW17	Zinc, Dissolved	µg/L	--	370	yes	--	270%	exclude	c
11/9/2012	Bedrock	TMW17	Zinc, Total	µg/L	--	54000	yes	yes	4809%	exclude	c
4/9/2013	Bedrock	TMW17	Zinc, Total	µg/L	--	1100	yes	--	72%	exclude	b
4/15/2011	Bedrock	TMW17	Zinc, Total	µg/L	--	640	yes	--	45%	exclude	b
4/29/2010	Bedrock	TMW17	Zinc, Total	µg/L	--	442	yes	--	52%	exclude	b
5/1/2009	Bedrock	TMW17	Zinc, Total	µg/L	--	290	yes	--	190%	exclude	b

-- = blank cell

J = detected result; concentration estimated

µg/L = microgram(s) per liter

a = mathematical outlier from well BGMW03 or FW31

b = one well dominates most elevated results

c = result appears unusually distant from the main population

¹ These mathematical outliers were calculated via Dixon's test or Rosner's test, depending on whether more than 25 results are being evaluated.

TABLE 4
Summary Statistics for Background Data

Aquifer	Chemical Group	Constituent	Number of Detects	Number of Analyses	Percent Detects	Units	Minimum Detected Value	Maximum Detected Value	Minimum RL for Non-detects	Maximum RL for Non-detects	Location of Maximum Detected Concentration	Qualifier of Maximum Detected Concentration	Background Threshold Value	Basis for Background Threshold Value	Outliers Excluded
Alluvial	Dissolved Metals	Aluminum, Dissolved	13	29	45	µg/L	2.1	68	2.8	62	FW31	J	62	Normal UTL	1100, 360, 320
Alluvial	Dissolved Metals	Antimony, Dissolved	5	31	16	µg/L	0.53	1.1	1	2.4	TMW28	J	1.11	Normal UTL	1.20
Alluvial	Dissolved Metals	Arsenic, Dissolved	24	28	86	µg/L	0.36	11	1.2	2	BGMW02	--	12.9	Lognormal UTL	21.0, 21.0, 21.0, 20.0
Alluvial	Dissolved Metals	Barium, Dissolved	28	28	100	µg/L	11	75	NA	NA	TMW28	--	75	Nonparametric UTL	130, 130, 120, 120
Alluvial	Dissolved Metals	Beryllium, Dissolved	2	32	6	µg/L	0.1	0.47	0.4	0.96	TMW28	J	0.47	Maximum Detect	--
Alluvial	Dissolved Metals	Cadmium, Dissolved	3	32	9	µg/L	0.14	0.3	0.24	0.48	TMW25	J	0.3	Maximum Detect	--
Alluvial	Dissolved Metals	Calcium, Dissolved	30	30	100	µg/L	4900	110000	NA	NA	BGMW02	--	109000	Normal UTL	300000, 220000
Alluvial	Dissolved Metals	Chromium, Dissolved	13	29	45	µg/L	0.51	5.8	3	6	TMW28	J	4.83	Normal UTL	11.0, 6.80, 6.10
Alluvial	Dissolved Metals	Cobalt, Dissolved	30	31	97	µg/L	0.055	1.1	0.2	0.2	BGMW01	--	0.984	Gamma UTL	2.20
Alluvial	Dissolved Metals	Copper, Dissolved	18	28	64	µg/L	0.75	4.9	1.56	3	BGMW03	--	4.59	Normal UTL	15.0, 14.0, 13.0, 12.0
Alluvial	Dissolved Metals	Iron, Dissolved	20	32	63	µg/L	25	590	56	96	TMW27	--	625	Normal UTL	--
Alluvial	Dissolved Metals	Lead, Dissolved	7	32	22	µg/L	0.2	0.5	0.4	2	FW31	J	0.448	Normal UTL	--
Alluvial	Dissolved Metals	Magnesium, Dissolved	27	27	100	µg/L	1800	29000	NA	NA	BGMW01	--	36900	Gamma UTL	130000, 130000, 120000, 91000, 65000
Alluvial	Dissolved Metals	Manganese, Dissolved	32	32	100	µg/L	0.7	840	NA	NA	BGMW02	--	1080	Gamma UTL	--
Alluvial	Dissolved Metals	Mercury, Dissolved	2	32	6	µg/L	0	0.028	0	0.16	FW31	J	0.028	Maximum Detect	--
Alluvial	Dissolved Metals	Nickel, Dissolved	27	30	90	µg/L	0.2	4.2	1.36	1.8	TMW26	--	3.72	Normal UTL	12.0, 4.20
Alluvial	Dissolved Metals	Potassium, Dissolved	31	31	100	µg/L	290	2700	NA	NA	TMW28	J	2490	Normal UTL	15000
Alluvial	Dissolved Metals	Selenium, Dissolved	9	27	33	µg/L	0.74	29	3	8	BGMW03	--	17.1	Gamma UTL	110, 81.0, 80.0, 46.0, 43.0
Alluvial	Dissolved Metals	Silver, Dissolved	4	31	13	µg/L	0.037	0.067	0.2	1.2	TMW28	J	0.0742	Normal UTL	1.90
Alluvial	Dissolved Metals	Sodium, Dissolved	31	31	100	µg/L	100000	970000	NA	NA	TMW26	--	970000	Nonparametric UTL	--
Alluvial	Dissolved Metals	Thallium, Dissolved	7	31	23	µg/L	0.057	0.29	0.2	0.8	TMW28	J	0.217	Normal UTL	1.00
Alluvial	Dissolved Metals	Vanadium, Dissolved	29	32	91	µg/L	0.52	14	2	2	BGMW03	J	13.8	Normal UTL	--
Alluvial	Dissolved Metals	Zinc, Dissolved	21	31	68	µg/L	2.2	15	12	24	BGMW02	J	15.8	Normal UTL	30.0
Bedrock	Dissolved Metals	Aluminum, Dissolved	16	22	73	µg/L	0.7	186	62	1200	TMW17	--	202	Normal UTL	384, 378
Bedrock	Dissolved Metals	Antimony, Dissolved	2	24	8	µg/L	0.2	0.9	0.4	120	TMW19	J	0.9	Maximum Detect	--
Bedrock	Dissolved Metals	Arsenic, Dissolved	5	24	21	µg/L	0.5	0.8	1.2	100	TMW17	--	0.961	Normal UTL	--
Bedrock	Dissolved Metals	Barium, Dissolved	22	24	92	µg/L	7.8	21	23.4	29.8	TMW17	--	19.7	Normal UTL	--
Bedrock	Dissolved Metals	Beryllium, Dissolved	1	24	4	µg/L	0.08	0.08	0.2	3.6	TMW17	J	0.08	Single Detect	--
Bedrock	Dissolved Metals	Cadmium, Dissolved	2	24	8	µg/L	0.1	0.7	0.2	100	TMW19	J	0.7	Maximum Detect	--
Bedrock	Dissolved Metals	Calcium, Dissolved	23	24	96	µg/L	2900	18000	7680	7680	TMW19	--	18000	Nonparametric UTL	--
Bedrock	Dissolved Metals	Chromium, Dissolved	10	24	42	µg/L	0.2	6.1	3	20.6	TMW19	--	4.98	Normal UTL	--
Bedrock	Dissolved Metals	Cobalt, Dissolved	9	24	38	µg/L	0	2	0.2	100	TMW19	J	2	Nonparametric UTL	--
Bedrock	Dissolved Metals	Copper, Dissolved	12	24	50	µg/L	0.89	10	0.8	400	TMW19	--	9.46	Gamma UTL	--
Bedrock	Dissolved Metals	Iron, Dissolved	11	24	46	µg/L	31	222	38	1090	TMW17	J	175	Normal UTL	--
Bedrock	Dissolved Metals	Lead, Dissolved	8	24	33	µg/L	0.2	2.8	0	100	TMW17	J	2.47	Normal UTL	--
Bedrock	Dissolved Metals	Magnesium, Dissolved	22	24	92	µg/L	270	2600	1280	3000	TMW19	--	2600	Nonparametric UTL	--
Bedrock	Dissolved Metals	Manganese, Dissolved	19	24	79	µg/L	4.3	66.6	20	1000	TMW19	--	99.1	Gamma UTL	--
Bedrock	Dissolved Metals	Mercury, Dissolved	1	24	4	µg/L	0.288	0.288	0	0.4	TMW17	J	0.288	Single Detect	--
Bedrock	Dissolved Metals	Nickel, Dissolved	14	22	64	µg/L	0.1	4.2	1.38	40	TMW19	--	3.91	Normal UTL	9.40, 9.10
Bedrock	Dissolved Metals	Potassium, Dissolved	22	24	92	µg/L	759	4370	10000	10000	TMW19	J	4370	Nonparametric UTL	--
Bedrock	Dissolved Metals	Selenium, Dissolved	4	24	17	µg/L	1.4	2.6	3	200	TMW19	--	3.18	Normal UTL	--
Bedrock	Dissolved Metals	Sodium, Dissolved	24	24	100	µg/L	250000	851000	NA	NA	TMW19	--	906000	Normal UTL	--
Bedrock	Dissolved Metals	Vanadium, Dissolved	18	23	78	µg/L	0.5	7.6	2	100	TMW19	--	7.99	Normal UTL	51.0
Bedrock	Dissolved Metals	Zinc, Dissolved	12	23	52	µg/L	5.1	48	3.8	200	TMW19	--	44.3	Normal UTL	370
Alluvial	Nitrogen	Nitrate as N	17	24	71	µg/L	0.098	18	0.096	0.4	BGMW02	--	24.8	Gamma UTL	--
Alluvial	Nitrogen	Nitrite as N	3	24	13	µg/L	0.11	0.35	0.108	0.4	BGMW03	--	0.35	Maximum Detect	--
Bedrock	Nitrogen	Nitrate as N	5	13	38	µg/L	0.04	0.23	0.096	1	TMW17	J	0.324	Normal UTL	--
Bedrock	Nitrogen	Nitrate as Nitrate	1	2	50	µg/L	0.0195	0.0195	0.1	0.1	TMW17	J	0.0195	Single Detect	--
Bedrock	Nitrogen	Nitrite as N	1	13	8	µg/L	0.054	0.054	0.108	1	TMW17	--	0.054	Single Detect	--
Bedrock	PAHs	Cresol, o-	2	9	22	µg/L	0.667	3.1	10	10.6	TMW19	J	3.1	Maximum Detect	--
Bedrock	PAHs	m,p-Cresol	2	15	13	µg/L	0.72	5.8	0.72	10.6	TMW19	--	5.8	Maximum Detect	--
Alluvial	Perchlorate	Perchlorate	7	19	37	µg/L	0.055	0.579	0.04	0.6	BGMW03	--	0.673	Normal UTL	3.10
Bedrock	Perchlorate	Perchlorate	1	16	6	µg/L	0.019	0.019	0.018	4	TMW17	J	0.019	Single Detect	--
Alluvial	Total Metals	Aluminum, Total	22	28	79	µg/L	24	1500	9.4	62	TMW26	J	1500	Nonparametric UTL ^a	26000, 12000, 2500, 2100
Alluvial	Total Metals	Antimony, Total	6	30	20	µg/L	0.42	0.9	1	2.4	TMW27	J	1.06	Normal UTL	1.30, 0.870
Alluvial	Total Metals	Arsenic, Total	24	28	86	µg/L	0.56	9.2	1.2	2	FW31	--	13.3	Lognormal UTL	21.0, 20.0, 19.0, 19.0

TABLE 4
Summary Statistics for Background Data

Aquifer	Chemical Group	Constituent	Number of Detects	Number of Analyses	Percent Detects	Units	Minimum Detected Value	Maximum Detected Value	Minimum RL for Non-detects	Maximum RL for Non-detects	Location of Maximum Detected Concentration	Qualifier of Maximum Detected Concentration	Background Threshold Value	Basis for Background Threshold Value	Outliers Excluded
Alluvial	Total Metals	Barium, Total	30	30	100	µg/L	13	130	NA	NA	TMW27	--	183	Lognormal UTL	480, 200
Alluvial	Total Metals	Beryllium, Total	4	30	13	µg/L	0.088	0.27	0.4	0.96	BGMW03	J	0.325	Normal UTL	1.30, 0.460
Alluvial	Total Metals	Cadmium, Total	4	31	13	µg/L	0.11	0.3	0.24	0.48	BGMW01	J	0.233	Normal UTL	0.400
Alluvial	Total Metals	Calcium, Total	32	32	100	µg/L	5800	210000	NA	NA	TMW28	--	146000	Normal UTL	--
Alluvial	Total Metals	Chromium, Total	13	29	45	µg/L	0.4	3	0.6	6	BGMW03	J	2.97	Gamma UTL	15.0, 8.00, 7.60
Alluvial	Total Metals	Cobalt, Total	28	30	93	µg/L	0.073	1.4	0.2	0.6	BGMW03	--	1.53	Gamma UTL	7.10, 4.00
Alluvial	Total Metals	Copper, Total	25	31	81	µg/L	0.69	12	3	3	TMW26	--	15.7	Gamma UTL	17.0
Alluvial	Total Metals	Iron, Total	28	29	97	µg/L	22	1500	96	96	TMW27	--	1480	Gamma UTL	15000, 4400, 1800
Alluvial	Total Metals	Lead, Total	9	28	32	µg/L	0.24	1	0.4	2	BGMW03	--	0.778	Normal UTL	11.0, 4.70, 1.80, 1.40
Alluvial	Total Metals	Magnesium, Total	27	27	100	µg/L	2600	31000	NA	NA	BGMW01	--	39800	Gamma UTL	130000, 130000, 120000, 120000, 64000
Alluvial	Total Metals	Manganese, Total	32	32	100	µg/L	8.3	870	NA	NA	TMW25	--	1130	Gamma UTL	--
Alluvial	Total Metals	Mercury, Total	1	32	3	µg/L	0.028	0.028	0	0.16	BGMW03	J	0.028	Single Detect	--
Alluvial	Total Metals	Nickel, Total	27	30	90	µg/L	0.31	4.1	1.8	3.2	FW31	--	4.09	Normal UTL	11.0, 7.40
Alluvial	Total Metals	Potassium, Total	32	32	100	µg/L	260	5800	NA	NA	BGMW03	--	4250	Gamma UTL	--
Alluvial	Total Metals	Selenium, Total	6	27	22	µg/L	1.6	40	3	8	BGMW03	--	27.4	Normal UTL	95.0, 87.0, 84.0, 79.0, 47.0
Alluvial	Total Metals	Silver, Total	7	31	23	µg/L	0.034	0.13	0.2	0.4	FW31	J	0.154	Gamma UTL	1.10
Alluvial	Total Metals	Sodium, Total	31	31	100	µg/L	100000	960000	NA	NA	TMW25	--	960000	Nonparametric UTL	--
Alluvial	Total Metals	Thallium, Total	8	32	25	µg/L	0.056	0.21	0.2	0.4	TMW28	J	0.217	Normal UTL	--
Alluvial	Total Metals	Vanadium, Total	28	30	93	µg/L	0.5	14	2	2	FW31	--	14	Normal UTL	43.0, 20.0
Alluvial	Total Metals	Zinc, Total	27	31	87	µg/L	2.4	55	12	24	TMW27	--	71	Lognormal UTL	120
Bedrock	Total Metals	Aluminum, Total	20	20	100	µg/L	120	3000	NA	NA	TMW17	--	3760	Gamma UTL	26000, 16000, 9800, 7690
Bedrock	Total Metals	Antimony, Total	4	24	17	µg/L	0.5	1.2	1	1200	TMW19	J	1.06	Normal UTL	--
Bedrock	Total Metals	Arsenic, Total	11	23	48	µg/L	0.34	16.4	1.2	88.6	TMW19	J	16.4	Nonparametric UTL	49.9
Bedrock	Total Metals	Barium, Total	24	24	100	µg/L	7.8	82.5	NA	NA	TMW19	--	82.9	Lognormal UTL	--
Bedrock	Total Metals	Beryllium, Total	5	24	21	µg/L	0.18	0.43	0.2	20	TMW19	J	0.445	Normal UTL	--
Bedrock	Total Metals	Cadmium, Total	6	24	25	µg/L	0.1	0.7	0.2	100	TMW17	J	0.624	Normal UTL	--
Bedrock	Total Metals	Calcium, Total	24	24	100	µg/L	3030	25300	NA	NA	TMW19	--	25300	Nonparametric UTL	--
Bedrock	Total Metals	Chromium, Total	16	23	70	µg/L	0.5	7.8	0.6	8	TMW19	--	7.8	Nonparametric UTL	19.5
Bedrock	Total Metals	Cobalt, Total	11	24	46	µg/L	0.093	3.2	0	100	TMW19	--	3.04	Normal UTL	--
Bedrock	Total Metals	Copper, Total	22	24	92	µg/L	0.73	28	3	40	TMW17	--	34	Gamma UTL	--
Bedrock	Total Metals	Iron, Total	20	23	87	µg/L	61	5100	494	600	TMW19	--	6320	Gamma UTL	13100
Bedrock	Total Metals	Lead, Total	14	23	61	µg/L	0.44	5.3	1	100	TMW19	--	5.42	Normal UTL	22.0
Bedrock	Total Metals	Magnesium, Total	24	24	100	µg/L	364	8340	NA	NA	TMW19	--	8350	Lognormal UTL	--
Bedrock	Total Metals	Manganese, Total	20	24	83	µg/L	7.9	315	1000	1000	TMW19	--	335	Gamma UTL	--
Bedrock	Total Metals	Mercury, Total	1	24	4	µg/L	0	0.06	0	0.4	TMW17	J	0.06	Single Detect	--
Bedrock	Total Metals	Nickel, Total	18	24	75	µg/L	0.43	12.4	0.6	40	TMW19	--	12.4	Nonparametric UTL ^b	--
Bedrock	Total Metals	Potassium, Total	23	24	96	µg/L	660	5260	1130	1130	TMW19	--	4390	Gamma UTL	--
Bedrock	Total Metals	Selenium, Total	9	24	38	µg/L	0.77	3.3	4	200	TMW17	J	3.4	Normal UTL	--
Bedrock	Total Metals	Silver, Total	7	24	29	µg/L	0.047	7.4	0.2	100	TMW19	J	5.23	Gamma UTL	--
Bedrock	Total Metals	Sodium, Total	24	24	100	µg/L	319000	740000	NA	NA	TMW19	--	975000	Lognormal UTL	--
Bedrock	Total Metals	Thallium, Total	2	24	8	µg/L	0.3	3.7	0	100	TMW19	J	3.7	Maximum Detect	--
Bedrock	Total Metals	Vanadium, Total	20	22	91	µg/L	0.5	15	2	20	TMW19	--	15.8	Normal UTL	92.2, 45.0
Bedrock	Total Metals	Zinc, Total	14	19	74	µg/L	7	100	5.2	200	TMW17	--	105	Normal UTL	54000, 1100, 640, 442, 290



-- = blank cell
J = detected result; concentration estimated
µg/L = microgram(s) per liter
NA = not applicable
NMED = New Mexico Environment Department
UTL = upper tolerance limit

^a A nonparametric UTL of 1500 ug/L replaced the calculated lognormal UTL of 2600 ug/L due to the ratio of that UTL to the maximum detect (1.7) exceeding NMED's threshold value of 1.5.

^b A nonparametric UTL of 12.4 ug/L replaced the calculated gamma UTL of 20.2 ug/L due to the ratio of that UTL to the maximum detect (1.6) exceeding NMED's threshold value of 1.5.

FIGURES

This page intentionally left blank




Legend



- TMW11** Well Identifier
- Alluvial Monitoring Well
 - Bedrock Monitoring Well
 - Piezometer
 - Dry Well
 - Water Supply Well 69
- 6635 Alluvial Groundwater Contours, October 2013
- Building
 - 10A Property Transfer Parcel
 - Fort Wingate Installation Boundary
- Surface Geology**
- QAL - Quaternary Alluvial Deposits
 - QCL - Quaternary Colluvial and Gravel Deposits
 - TRPP - Petrified Forest Formation, Painted Desert Member
 - Arroyo
 - Stream
 - Road

FIGURE 1
Northern Area Alluvial Background Wells
 Groundwater Background Evaluation
 Fort Wingate Depot Activity,
 McKinley County, New Mexico

State Plane Coordinate System, New Mexico West,
 North American Datum 1983, US Feet.
 North American Vertical Datum 1988, US Feet.

Data Sources:
 Roads, Railroad: Tele Atlas GDT-Dynamap, 2008;
 Populated Places: ESRI 2005;
 Fort Wingate Environmental Restoration Detail: USACE.





Legend

- TMW11** Well Identifier
- Alluvial Monitoring Well
 - Bedrock Monitoring Well
 - Piezometer
 - Dry Well
 - Water Supply Well 69
- 6672 Bedrock Groundwater Contours, April 2014
- Building
 - 10A Property Transfer Parcel
 - Fort Wingate Installation Boundary
- Surface Geology**
- QAL QAL - Quarternary Alluvial Deposits
 - QCL QCL - Quaternary Colluvial and Gravel Deposits
 - TRPP TRPP - Petrified Forest Formation, Painted Desert Member
 - Arroyo
 - Stream
 - Road

FIGURE 2
Northern Area Bedrock Background Wells
 Groundwater Background Evaluation
 Fort Wingate Depot Activity,
 McKinley County, New Mexico

State Plane Coordinate System, New Mexico West,
 North American Datum 1983, US Feet.
 North American Vertical Datum 1988, US Feet.

Data Sources:
 Roads, Railroad: Tele Atlas GDT-Dynamap, 2008;
 Populated Places: ESRI 2005;
 Fort Wingate Environmental Restoration Detail: USACE.






Figure 3: Probability Plots for Alluvial Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 3: Probability Plots for Alluvial Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 3: Probability Plots for Alluvial Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 3: Probability Plots for Alluvial Background Wells



Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion


Figure 3: Probability Plots for Alluvial Background Wells



Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
Red X When Mathematical Outlier Chosen for Exclusion


This page intentionally left blank

Figure 4: Probability Plots for Bedrock Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 4: Probability Plots for Bedrock Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 4: Probability Plots for Bedrock Background Wells




Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 4: Probability Plots for Bedrock Background Wells



Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
 Red X When Mathematical Outlier Chosen for Exclusion

Figure 4: Probability Plots for Bedrock Background Wells



Green Open Circle Represents 1/2 RL Proxy for Nondetects; Closed Blue Symbol Represents Detect
Red X When Mathematical Outlier Chosen for Exclusion

This page intentionally left blank

ATTACHMENT A

PROVIDED SEPARATELY ON DISC

This page intentionally left blank