

Site ID: FTWG- 003- R- 01  
Site Name: Functional Test Range 1  
Alias: Parcel 20

## STATUS

Parcel: Parcel 20 (Army Retained)

Regulatory Driver: RCRA

MRSPP Score: Evaluation pending

Contaminants of Concern: Explosives, Metals, Munitions and explosives of concern, Munitions constituents, Perchlorate, Polynuclear Aromatic Hydrocarbons

Media of Concern: Groundwater, Soil

Phases	Start	End
RFA.....	200205.....	200305
RFI/CMS.....	200306.....	201509
DES.....	201510.....	201609
CMI(C).....	201610.....	201709
LTM.....	202010.....	202109
RIP Date:	N/A	
RC Date:	201709	

## SITE DESCRIPTION

This site has been converted to a parcel as a result of a the new RCRA permit. Includes the following site: SWMU- 38, Functional Test Range 1.

A limited RFI found explosives, elevated metals, and POLs in selected areas. MEC found at Parcel 20 included propellant grains, 75mm smoke rounds, 60mm mortars, fuzes, and boosters. More than 124 total number of items were found.

This parcel is being leased by MDA.

FTR No. 1 is located in the east central part of the fort and was used for powder burning in the 1940s and for testing flares and grenades in the 1950s.

The parcel covers 1,694 acres.

## CLEANUP/EXIT STRATEGY

CTC assumptions include:

- 1) Performance of a supplemental RFI with three new wells and groundwater sampling, and a CMS. Geophysical mapping of 400 acres will also be performed.
- 2) The CMI(C) will consist of the excavation and offsite disposal of 6,250 cy of soil. The CMI(C) will also include MEC surface clearance of 378 acres and subsurface clearance of 38 acres.

A CMS will serve as the cost basis when completed and approved by the state.